

20001-43-047

3 Hendon Ave.,
Auckland 3,
28.11.83

Dear Stan:

Enclosed are two copies of stat sheets. The pink one is from Maggie Lecky-Thompson, 83 Albert Dr, Killara 2071, NSW. This is a draft to standardise stat sheets between N.Z. and Australia. Gillian McNichol, 250 Puhinui Rd, Papatoetoe, has sent copies of the pink form to our midwives and asked for suggestions; however, the response has not been very good. In line with the few responses and our own stat sheet I have prepared a revised stat sheet incorporating much of Maggie's ideas. This is enclosed. I have sent a copy of this to Maggie. Hopefully we can get something definite and satisfactory to present for approval at the Australasian EB Conference in April, 1984.

Would appreciate comment from you on this latter stat sheet as to ease of computerising it.

Best wishes for Xmas and New Year.

Regards,

c.c. Gillian McNichol

NSW
Received 31.10.83

Midwife Initials

Client Code/No.

Parity	Age			Gestation	
--------	-----	--	--	-----------	--

Social class	1	11	111	1V	V
--------------	---	----	-----	----	---

Reason for homebirth (Number 1 - 3 in order of preference)

Desire for a normal birth Wanted family / friends support

No separation from children Religious beliefs

Seek better environment for baby Dissatisfaction with hospitals

Desire to avoid drugs Other:

Previous Obstetrical History:

Present Pregnancy

Antibodies detected Hypertension Proteinuria

Hyperemesis Haemorrhage Mult. Gestat.

Scanned Other:

Positions in Labour	1st Stage	2nd	3rd
---------------------	-----------	-----	-----

Standing

Walking

Squatting

Kneeling

Lateral

Semi-Powlers

Dorsal

Bath

Shower

Labour Length	1st Stage	2nd Stage	3rd Stage	Total
---------------	-----------	-----------	-----------	-------

MADE IN USA. MADE IN ZEALAND.

Customs, Treasury and Trade and Industry, informed of its views.

<u>Blood Loss</u> (circle)	100 mlis	110-250mls	260-500mls
	510-750mls	760-1000mls	1000mls+

<u>Perineum etc</u>	Intact	Graze	1°	2°	3°	Epis.	Sutured
---------------------	--------	-------	----	----	----	-------	---------

<u>Medications</u>	<u>Pregnancy</u>	<u>Labour</u>	<u>Baby</u>
--------------------	------------------	---------------	-------------

Herbal

 Homeopathic

 Acupuncture

 Oxytocics

 Western med.

<u>Baby Weight</u> at birth	2.500	2.501-4.500	4.501+
at 7days	Gaingrms	or	Lossgrms

Sex Female Male

Apgar 1min ... 5min ... 10min ...

<u>Resuscitation</u> (circle)	Nil Oxygen	Suction Acupressure	Massage Other:
----------------------------------	---------------	------------------------	-------------------

Post Natal Period: Difficulties encountered.

<u>Mother</u>	Severe A/B contrs.	Engorgement	Depression
---------------	--------------------	-------------	------------

Other; specify-

<u>Baby</u>	Infection	Skin?	Eye?	Cord?	Fail. to Thrive
-------------	-----------	-------	------	-------	-----------------

Other; specify-

Transfer to Hospital

Name of hosp..... Why chosen.....
 Reason for transfer (Number 1 -3 in order of urgency/Importance//Circle)

Failure to progress	Prematurity
Cephalo-Pelvic Disp	Malpresentation
Maternal Exhaustion	Foetal Distress
Ante Part. Haemorr	Strong Intuitive Response
Post Part. Haemorr	Other; specify-

Describe reception

Nursing staff	Excellent	Satisfactory	Hostile
Medical staff	Excellent	Satisfactory	Hostile

State/Country	Midwife/Dr Initials	Client No			
Suburb of birth	Maternal age	Weeks gestation			
Stable relationship - Yes/No	Social class - I II III IV V				
Reason for homebirth (Number in order of preference)					
Desire for a normal birth			Wanted family/friends support		
No separation from children			Religious beliefs		
Seek, better environment for baby			Dissatisfaction with hospitals		
Desire to avoid drugs			Other		

Relevant Obstetric & Medical History:

Present Pregnancy (Circle)

Smoker 1-2.0 20-40	Debendox/equivalent-No of weeks	Aspirin
Ventolin	Antibiotics	Scanned 1 2 3 +
Multip.gestation	Hyper. Dis. of Preg.	Antibodies detected
Nutritional awareness - Absent Limited Good A/N preparation - Absent Limited Good		

Positions in labour	1st Stage	2nd	3rd
Standing			
Walking			
Squatting			
Kneeling			
Lateral			
Semi-Fowlers			
Dorsal			
Bath			
Shower			
Toilet			

Labour Length	1st Stage	2nd Stage	3rd Stage	Total
Blood Loss (Circle)	100mls & less 510-750 mls	110-250 mls 751-1000 mls	251-500 mls 1000 + mls	

Perineum etc	Intact	Graze	1	2	3	Episiotomy	Sutured
--------------	--------	-------	---	---	---	------------	---------

Present at birth	Partner	Siblings	G/mother	Doctor	Midwife
Positive experience? (For that individual)	Y/N	Y/N	Y/N	Y/N	Y/N

Baby	Weight (birth)	Disch	Male	Female
	Apgar: 1min	5min	10min	
	Resuscitation yes or No	Massage	Section	Acupressure
		Oxygen	Other	

Medications etc	Pregnancy	Labour	Baby
Herbal			
Homeopathic			
Acupuncture			
Oxytocics	Induced Y or N	Augmented Y or N	3rd Stage Y or N
West. Med.	Analgesia Y or N	Anaesthesia Y or N	Konakion Y or N

Specify any of above:

Did any of the following occur? (Indicate Yes or No)

Hypertension in labour	Foetal distress
Uterine dysfunction	Meconium staining
Cord prolapse	Intra partum or neonatal death
Malpresentation	Prematurity or dysmaturity
POP delivery	Foetal abnormality
Shoulder dystocia	Birth injuries
Retained placenta	Infection Skin Cord Eye/s
Mastitis	Jaundice
Other maternal infection	Smiling in 1st 2/52
Post natal depression	Other:

Give details:

Transfer to hospital

Name of hospital.....Why chosen.....

Reason for transfer (No in order of importance if appropriate)

Failure to dilate	Prematurity
Cephalo pelvic disproportion	Malpresentation
Maternal exhaustion	Foetal distress
Ante partum haemorrhage	Strong intuitive response
Post partum haemorrhage	Other:

Describe Reception

Nursing staff:	Excellent	Satisfactory	Hostile
Medical staff:	Excellent	Satisfactory	Hostile

Post natal transfers? Mother Mother & Baby Baby

Please detail

Follow up: Midwife Family Planning Health Centre Plunkett Doctor

Breast feeding at six weeks - Fully/Partially / No.

18/2/83

STATISTICS SHEET - HOMEBIRTH AUSTRALASIA

State/Country Midwife/Dr Initials Client No

Country of birth Maternal age Weeks gestation

Stable relationship - Yes/No Social class - I II III IV V

Reason for homebirth (Number in order of preference)

Desire for a normal birth Wanted family/friends support

No separation from children Religious beliefs

Seek better environment for baby Dissatisfaction with hospitals

Desire to avoid drugs Other

Present Pregnancy - Para Gravida Hb Blood Group

Circle: Hypertension Rh antibodies Multiple gestation UTI

Scan 1 2 3 + X-ray Smoker 1-20; 20-40 Alcohol Drugs

High risk factors: Medical or previous pregnancies (Specify)

Nutritional awareness - Poor/Limited/Good A/N Preparation - None/Limited/good

LABOUR Length: 1st stage 2nd stage 3rd stage Total

Positions in labour 1st stage 2nd stage 3rd stage

Standing

Walking

Squatting

Kneeling

Lateral

Semi-Fowlers

Dorsal

Bath/shower

Toilet

Delivery: ND POP Breech shoulder dystocia Problems (specify)

ARM/SEM; Liquor: clear/mec; MR/delivery interval

Spontaneous/Induced Augmented 3rd stage oxytocic

Blood loss 100 mls or less 110 - 250 mls 251 - 600 mls

(Circle) 510 - 750 mls 755 - 1000 mls 1000 mls +

Perineum etc Intact Graze 1 2 3 Episiotomy Sutured

Present at birth: Partner Siblings G/mother Doctor Midwife Other

Positive experience? Y/N Y/N Y/N Y/N Y/N Y/N

(for that individual)

Postnatal Problems: Mastitis Other maternal infection Depression

Other

BABY Sex: M/F Weight (birth) Discharge @ days
 Apgar: 1 min 5 min 10 min IUGR Head
 Resuscitation: Y/N. Method: Massage Suction Oxygen Acupressure
 Other
 Fetal abnormality
 Birth injury
 Postnatal: Jaundice Infection: skin, cord, eye(s)
 Other Pleasure response

MEDICATIONS (Specify medication & condition)

	Pregnancy	Labour	Postnatal
Herbal			
Homeopathic			
Acupuncture			
West Med *			

* note: (Circle) Debendox/Equivalent Aspirin Antibiotics Ventolin
 Fe Sulph Pregonal Cortisone Mgagl

IF TRANSFER TO HOSPITAL

Name of hospital.....Why chosen.....

Reason for transfer (No in order of importance if appropriate)

Failure to dilate	Prematurity
Cephalo pelvic disproportion	Malpresentation
Maternal exhaustion	Fetal distress
Ante partum haemorrhage	Strong intuitive response
Post partum haemorrhage	Intrapartum or neonatal death
Retained placenta	Other (specify)

Describe reception

Nursing staff:	Excellent	Satisfactory	Hostile
Medical staff	Excellent	Satisfactory	Hostile

OUTCOME

Analgesia IV Blood transfusion Epidural G.A.
 Forceps C/S Other

BABE: Konokion Antibiotics Glucose/milk feeds Separation from mother
 Routine neonatal procedures: (spinal/bladder tap, IV, tube feed, etc)
 Specify

Post natal transfer?	Mother	Mother & baby	Baby
Please detail.....			

Breast feeding at six weeks: Fully Partially no

Follow up: Midwife Family Planning Health Centre Plunket Doctor

State Registered Midwife State Registered Nurse Other.....