

Campbell-Joharlane Hard. Haikalo
Hospital.

Name: Gladys Vette.

Training as Maternity Nurse

Training begun: January 21st 1932.

Training finished: July 21st 1932.

FOR THE MATRON'S USE ONLY.

I believe that the records in this book describe correctly the work done in this hospital by

Gladys Mary Bahille Vette. and have all been written by her.

Date: 29. 5. 32.

Signature: C. Graham Sister-in-charge
Matron.

INSTRUCTIONS.

1. All entries in this book are to be made by the pupil to whom it belongs, and, so far as possible, are to be written up daily. On the completion of her training it is to be signed below by the Matron.

2. The book is to be submitted to the Matron or Sister-in-Charge once a week, who shall initial the previous entries as a guarantee of correctness. It is also to be produced at the pupil's examination for inspection by the examiner, who will take it into consideration when marking the candidate.

3. "Ante-natal patients examined":

Put a stroke in the place provided for number of visits each time a patient attends the clinic and is seen by you.

4. Temperature charts:

Pupils who have received general training are not required to fill up charts of normal patients.

5. History charts:

If a patient's history has been entered under the heading "Patients nursed in the Lying-in Wards," such history need not be again entered under the heading "Abnormal Cases seen in the Labour Wards."

The initials of the patient should be entered under the latter heading, a cross reference to the page number of her original entry made, and such notes as deal with the abnormality written on the facing page.

6. Cross reference to entries referring to the same patient:

A space has been provided on the history chart in which the page number of other entries referring to the patient can be inserted. Cross references add to the subsequent interest of the book.

LECTURES.

—	Date.	Lecturer.	Subject.
1.	21. 1. 32.	Miss Road.	Technique of Humanoid Gills.
2.	22. 1. 32.	Dr. H. E. Hyken.	Medical and Mechanical Induction of Labour.
3.	25. 1. 32.	Dr. H. E. Hyken.	Pelvic anatomy.
C.G. 4.	25. 1. 32.	Sister Graham.	Breast binding for suppression of milk (demonstration).
5.	26. 1. 32.	Sister Graham.	Abdominal palpation.
6.	26. 1. 32.	Sister Graham.	Rectal examination of patient in labour.
7.	26. 1. 32.	S/L. Road.	Application of Abdominal binder.
C.G. 8.	26. 1. 32.	Sister Graham.	Lecture: Preparation of patient for labour.
9.	27. 1. 32.	Sister Graham.	Lecture: Examination of patient in labour.
10.	27. 1. 32.	Sister Graham.	Management of Delivery.
11.	28. 1. 32.	Sister Graham.	Treatment of Perineal Tear.
C.G. 12.	28. 1. 32.	S/L. Road.	Instruction on Late Latent Mark. - procedure.
13.	29. 1. 32.	S/L. Road.	Treatment of Engorged breasts. care of nipples.
14.	1. 2. 32.	Dr. H. E. Hyken.	Lecture: Physiology of Reproduction - Ovulation.
15.	3. 2. 32.	Dr. Graham.	Witness of Caesarean Section.
C.G. 16.	4. 2. 32.	Sister Graham.	Summary of Management of labour. 1st, 2nd & 3rd Days.
17.	22. 1. 32.	S.L. Road.	Swabbing of Puerperal patient.
18.	8. 2. 32.	Dr. H. E. Hyken.	Physiology of Pregnancy.
C.G. 19.	9. 2. 32.	Sister Graham.	Continued: Management of labour: Indication for Ob. forceps.
C.G. 20.	9. 2. 32.	Sister Graham.	Demonstration in Clinic on milk suppression.

LECTURES—continued.

	Date.	Lecturer.	Subject.
21.	13.2.32.	Sister Graham.	Mechanism of labour.
22.	15.2.32.	Sister Graham.	Mechanism of labour continued.
23.	15.2.32.	Dr Hc Lyken	Pathology of Pregnancy.
24.	20.2.32.	Sister Graham.	Abnormal labour mechanism outlined.
C.B. 25.	22.2.32.	Dr Hc Lyken.	Abortions. Phenomena of Labour.
26.	24.2.32.	Sister Graham.	Ante. partum. Haemorrhage.
27.	27.2.32.	Sister Graham.	Post. partum. Haemorrhage.
C.B. 28.	29.2.32.	Sister Graham.	Uterine Inertia.
29.	29.2.32.	Dr Hc Lyken	Mechanism of Labour.
30.	2.3.32.	Sister Graham.	Obstructed labour. Rupture of Uterus + Causes.
31.	3.3.32.	Sister Graham.	Abortions - Signs - Symptoms and Causes.
C.B. 32.	4.3.32.	Sister Graham.	Venereal diseases & with in & delivery practices.
33.	7.3.32.	Sister Graham.	Complications of Lying in period.
34.	8.3.32.	Sister Graham.	Demonstration: Breast massage and stimulation.
35.	10.3.32.	Sister Graham.	Lactation, Septicemia - Treatment.
C.B. 36.	12.3.32.	Sister Graham	Complications continued. White Ly etc.
37.	14.3.32.	Dr Hc Lyken	Pathology of Labour.
38.	21.3.32.	Dr Hc Lyken.	Operative Delivery.
39.	16.3.32.	Sister Graham.	Natural feeding of Infants. Overfeeding and Underfeeding.
C.B. 40.	17.3.32.	Sister Graham	Maintenance of heat. Artificial feeding.

LECTURES—continued.

—	Date.	Lecturer.	Subject.
41.	19.3.32	Sister Graham	Preparation of Patient in Labour. Management of puerperium.
42.	21.3.32	Sister Graham	Germs and Antiseptics
43.	23.3.32	Sister Graham	Breasts: Lactation Glands. Treatment.
C.B. 44.	30.3.32	Dr H. C. Fyke	Physiology pathology & management of Puerperium.
45.	24.3.32	Sister Graham	Poisons. Infections of Infants.
46.	30.3.32	Sister Graham	District requirements & needs. The normal baby.
47.	31.3.32	Sister Graham	Management of normal Labour.
48.	6.4.32	Sister Graham	Labour (cont.) Instructions for attending Dr's district cases.
C.B. 49.	6.4.32	Dr H. C. Fyke	The care of the normal infant.
50.	3.4.32	Sister Graham Dr H. C. Fyke	Treatment of eclampsia & fits.
51.	3.4.32	Sister Graham Dr H. C. Fyke	The use and administration of anaesthetics in midwifery.
52.	9.4.32	Dr Graham	Ante. Natal lecture - Hygiene. Diet. - Vitamins
53.	5.4.32	Sister Graham	Complementary and supplementary feeding of infants.
C.B. 54.	11.4.32	Dr H. C. Fyke	Accidents, injuries and diseases of the new born.
55.	14.4.32	Dr H. C. Fyke	Demonstration of mechanism of normal Labour.
56.	16.4.32	Dr Graham	Hypertension - Urine testing, Blood pressure, hypertension, ^{ecchymosis}
57.	16.4.32	Dr H. C. Fyke	Demonstration on application of Bristle Pads.
58.	18.4.32	Dr H. C. Fyke	Clinic on Delivery of Placenta
59.	19.4.32	Dr H. C. Fyke	Demonstration: Mechanism of Abnormal Labours.
C.B. 60.	20.4.32	Sister Graham	Preparation of Milk: Hygiene in Infancy.

LECTURES—continued.

—	Date.	Lecturer.	Subject.
61.	21. 4. 32.	Sister Graham	Fractures in Infancy - Cont. Congenital & Traumatic conditions.
62.	21. 4. 32.	Sister Graham.	Some sterilization of Labour Bundle.
63.	23. 4. 32.	Sister Graham.	Sanitation
C.B. 64.	23. 4. 32.	Dr Graham	Pelvimetry.
65.	28. 4. 32.	Sister Graham	Obstetric Operations.
66.	28. 4. 32.	Dr Abernethy.	Abortions - Ectopics - Ectopic Gestation.
67.	30. 4. 32.	Sister Graham.	Preparation for raising labour.
C.B. 68.	30. 4. 32.	Dr Graham.	Abdominal palpation.
69.	5. 5. 32.	P.L. Road.	Application of Oil Poment's for enlarged breasts.
70.	5. 5. 32.	Dr Graham	Craniotomy and ante-natal prevention (blinis).
71.	6. 5. 32.	Sister Graham	Packing of Outfit for private case.
72.	9. 5. 32.	Dr Abernethy.	Obstructed labour. - Gynaecology.
C.B. 73.	11. 5. 32.	Dr Abernethy.	Eclampsia.
74.	13. 5. 32.	Dr Graham.	Chronic hepatitis. Pyrexias of Pregnancy.
75.	13. 5. 32.	Sister Graham.	Talk over Ante Natal work and Quiz.
C.B. 76.	16. 5. 32.	Dr Geo. Ecken.	Post-partum haemorrhage. Treatment.
77.	19. 5. 32.	Dr Geo. Ecken.	Obstructed Labour - Contracted Pelvis.
78.	19. 5. 32.	Sister Graham.	Quiz class.
79.	20. 5. 32.	Sister Graham	Feeding of Infants. Quiz. class.
C.B. 80.	21. 5. 32.	Sister Graham.	General revision.

LECTURES—continued.

—	Date.	Lecturer.	Subject.
81.	2. 6. 32.	Dr Abernethy.	Ant. partum lemanthys.
82.	21. 6. 32.	Dr Graham.	Pain in pregnancy - Diseases of and Intervent's Pregnancy.
83.	22. 6. 32.	Dr G. E. Ekin	Drugs used in fidwifery.
84.	24. 6. 32.	Dr Harris.	Radiology.
85.			
86.			
87.			
88.			
89.			
90.			
91.			
92.			
93.			
94.			
95.			
96.			
97.			
98.			
99.			
100.			

ASSISTANCES AT LABOUR.

Initials of Patient.	No. of Pregnancy.	Delivered.	Discharged.	Notes on Points of Interest.
1. A.S.	13 th	22. 1. 32.	6. 2. 32.	LOA. Medica and mechanical induction - Delivery normal. Swelling of placentary vessels before admission - the same capillaries top. R. lung.
2. J.A.P.	1 st	31. 1. 32.	29. 2. 32.	ROA. Delivery normal. Retained placenta. 3 hrs 5 mins.
3. F.G.	2 nd	29. 1. 32.	9. 2. 32.	ROA. Lig. Amnii expressive. Delivery normal. 1 st degree tear.
4. G.L.H.	8 th	3. 2. 32.	15. 2. 32.	LOA. Medica induction. Delivery normal.
C.B. 5. D.L.	1 st	8. 2. 32.	17. 2. 32.	LOA. Delivery normal. 1 st degree tear. two sutures.
6. R.Y.	1 st	14. 2. 32.	29. 2. 32.	LOA. Delivery normal. Female child. 7 months ^{B.W. 5.5. 5.5} _{D. 5.5. 5.5} Gain.
7. A.A.	9 th	17. 2. 32.	2. 3. 32.	LOA. Delivery normal. Babe 10 lbs 8 ozs. "Ginger"
8. A.R.L.	5 th	17. 2. 32.	11. 3. 32.	LOA. Delivery normal. Developed thrombosis of vein at birth. on 7 th day. Changed and applied.
C.B. 9. D.B.	6 th	22. 2. 32.	5. 3. 32.	LOA. Delivery normal. Cord round neck 3 times.
10. C.F.	8 th	26. 2. 32.	14. 3. 32.	LOA. Anesth. Anesthetis. Delivery normal.
11. F.L.D.	1 st	5. 3. 32.	14. 3. 32.	LOA. Delivery normal. Pl. Caesarean. Healthy male Babe.
12. L.J.	3 rd	5. 3. 32.	29. 3. 32.	LOA. Delivery normal. Pl. Caesarean. Healthy male Babe. Breech presentation - legs and one arm extended.
13. A.L.D.	2 nd	10. 3. 32.	23. 3. 32.	LOA. Delivery normal. Pl. Caesarean. Healthy male Babe. Short labour. Heavy pains. No tear. Child satisfactory.
C.B. 14. J.W.	8 th	23. 3. 32.	6. 4. 32.	Periparturient labour. (normal). 1 st degree tear. Cord 14" long.
15. F.H.	3 rd	31. 3. 32.	13. 4. 32.	normal Delivery. Anesth. anesthetis. with mach.
16. L.P.P.	1 st	24. 4. 32.	18. 5. 32.	normal Delivery. Periparturient labour. LOA.
17. L.H.G.	1 st	4. 5. 32.	26. 5. 32.	Delivery normal. Retained placenta. Manual removal by Dr. Vaginal douche given. 1 st degree tear.
C.B. 18. G.H.B.	1 st	8. 5. 32.	29. 5. 32.	normal delivery. Female babe. 2 nd degree tear.
19. G.J.C.	4 th	11. 5. 32.	23. 5. 32.	Instrumental delivery. Still-born babe. Tetanitic.
20. A.L.G.	4 th	16. 5. 32.	24. 5. 32.	normal delivery. Babe 4 lbs. 2 ozs.
C.B.				normal delivery. Female Babe. 4 lbs 13 ozs. POA.

ASSISTANCES AT LABOUR—continued.

Initials of Patient.	No. of Pregnancy.	Delivered.	Discharged.	Notes on Points of Interest.
21. E. P.	2nd	21. 5. 32.	1. 6. 32.	Normal delivery. L.O.A.
22. E. J. L.	2nd	25. 5. 32.	8. 6. 32.	Normal presentation. 25th. Cord 4 ft long. 6 lines round baby neck. Normal delivery. P.P.H. Vaginal double pain. Placenta 6 ft 8 in.
23. E. L.	1st	3. 6. 32.	14. 6. 32.	Normal Delivery. 1st. Dura tear.
24. J. S. P.	6th	3. 6. 32.		by chemical induction. Developed thrombosis of leg. Normal delivery.
25. L. B. L.	4th	28. 5. 32.	12. 6. 32.	Normal Delivery.
26. L. D.	6th	6. 6. 32.		Normal delivery. Baby 8 lbs 9 oz. Cord very thick.
27.				
28.				
29.				
30.				
31.				
32.				
33.				
34.				
35.				
36.				
37.				
38.				
39.				
40.				

LABOUR PATIENTS PREPARED.

	Initials of Patient.	No. of Pregnancy.	Delivered.	Discharged.	Notes on Points of Interest.
	1. D. J. L.	2 nd	22. 1. 32.	5. 2. 32.	Position L.O.A. Fetal heart heard. Perineal tear. 2 lacerations.
	2. B. G.	1 st	23. 1. 32.	6. 2. 32.	Position L.O.A. Fetal heart heard. Head low down.
	3. L. G.	2 nd	28. 1. 32.	9. 2. 32.	Position L.O.A. Presenting part high up. Fetal heart heard.
	4. H. C. R.	3 rd	1. 2. 32.	13. 2. 32.	Position R.O.A. Fetal heart heard.
C.B.	5. J. B.	1 st	0. 2. 32.	18. 2. 32.	Position R.O.A. Delivery normal. Unsuccessful puerperium.
	6. R. P.	1 st	14. 2. 32.	29. 2. 32.	Position L.O.A. Delivery normal. 9 months.
C.B.	7. P. L. H.	1 st	19. 2. 32.	29. 2. 32.	Position L.O.A. Delivery normal. 2 lacerations. Normal puerperium.
	8. C. L.	8 th	26. 2. 32.	14. 2. 32.	Position L.O.A. Delivery normal. Avertin Anaesthetic.
	9. G. B.	5 th	10. 3. 32.	22. 3. 32.	Position R.O.A. Delivery normal. Bled rather freely.
C.B.	10. Y. O.	2 nd	14. 3. 32.	29. 3. 32.	Avertin Anaesthetic. Delivery normal. 1 st degree tear.
	11. J. G. P.	4 th	21. 3. 32.	10. 4. 32.	Slight antepartum haemorrhage. Very excitable patient. Slight toxic goitre. Delivery normal. Developed thrombosis R leg.
	12. D. L. J. G.	4 th	22. 3. 32.	25. 3. 32.	Admitted 1 hour. Not in labour.
	13. A. L.	3 rd	31. 3. 32.	13. 4. 32.	Preipitate labour. Baby born during expulsion of mucus.
C.B.	14. R. J. L.	6 th	6. 4. 32.		Accidental haemorrhage 7 th month. Breech presentation.
	15. V. C.	4 th	7. 4. 32.	20. 4. 32.	R.O.A. Fetal heart heard. Delivery normal. Mild P.P.H.
	16. G. L. C.	9 th	8. 4. 32.	21. 4. 32.	Instrumental delivery. Presenting part obstructed by L.O.A. very oedematous anterior lip of cervix projecting onto os.
C.B.	17. A. O. G.	4 th	11. 4. 32.	23. 4. 32.	L.O.A. Delivery normal. Cl. P.P.H. Caesarian section failed.
	18. L. L. L.	1 st	15. 4. 32.	3. 5. 32.	Palpation difficult. Normal delivery. L.O.A.
	19. R. L.	4 th	14. 4. 32.	26. 4. 32.	? position - hard to palpate - Delivery normal.
C.B.	20. D. L.	3 rd	22. 4. 32.	Deceased 23. 4. 32.	L.O.A. Not in labour. Medical induction. P. had cl. P.P.H. during night. ? torn cervix.

LABOUR PATIENTS PREPARED—continued.

Initials of Patient.	No. of Pregnancy.	Delivered.	Discharged.	Notes on Points of Interest.
21. D. J. D.	6 th	4. 5. 32.	18. 5. 32.	Normal delivery. Healthy female babe.
22. L. P. H.	1 st	5. 5. 32.	Deceased.	Unaided. Occipito posterior. Instrumental delivery. Craniotomy performed. Condition lucid. Pt. collapsed.
23. G. H. B.	1 st	8. 5. 32.	28. 5. 32.	Eclamptic - history of 1 fit before admission. In labour, full dilatation - membranes ruptured midday.
24. G. J. C.	4 th	11. 5. 32.	25. 5. 32.	R.O.F. Small woman. Loose abdomen.
25. R. J.	1 st	28. 5. 32.		Stillborn baby. Instrumental delivery. 1 st degree contracted pelvis. Admitted for induction.
26. G. B.	1 st	4. 6. 32.		Delivery normal. 1 st degree head. R.O.F.
27.				
28.				
29.				
30.				
31.				
32.				
33.				
34.				
35.				
36.				
37.				
38.				
39.				
40.				

CONDUCTIONS.

Initials of Patient.	No. of Pregnancy.	Delivered.	Discharged.	Notes on Points of Interest.
1. J.B.	2 nd	26.1.32.	6.2.32.	Normal Delivery: cord over neck once - Ellevation of perineum.
2. L.C.R.	3 rd	1.2.32.	13.2.32.	Normal Delivery - Healthy female child R.O.A. Vertex.
3. C.L.	3 rd	10.3.32.	22.3.32.	Normal Delivery. Cord over baby's neck. L.O.A.
C.B. 4. L.V.P.	4 th	21.3.32.	10.4.32.	Developed thrombosis Right leg. Improved by treatment. Normal Delivery. Cord round neck once. Shift antepartum haem.
5. A.H.	3 rd	31.3.32.	13.4.32.	Precipitate labour. Delivery normal. Cord round baby's neck.
6. D.B.	5 th	22.4.32.	Deceased 22.4.32.	Normal short labour. Female child. El. PPH. Rt collapsed and died 10 pm. cardiac failure.
7. R.L.	6 th	6.5.32.	6.6.32.	Normal delivery. Small female babe. R.O.A.
C.B. 8. L.P.	1 st	10.5.32.	22.5.32.	Normal delivery. Aetherin anaesthesia. L.O.A.
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				

LYING-IN PATIENTS NURSED.

Initials of Patient.	No. of Pregnancy.	Delivered.	Discharged.	Notes on Points of Interest.
1. J.B.	2 nd	26. 1. 32.	6. 2. 32.	normal delivery. Male child.
2. B.G.	1 st	23. 1. 32.	6. 2. 32.	normal delivery.
3. J.A.R.	1 st	31. 1. 32.	28. 2. 32.	Delivery normal. Retained placenta 3 hrs. - mias.
C.B. 4. B.S.	2 nd	15. 2. 32.	26. 2. 32.	normal Delivery. 2 sutures.
5. B.F.	1 st	14. 2. 32.	28. 2. 32.	normal Delivery. Baby 1-month premature.
6. B.F.	3 rd	10. 3. 32.	22. 3. 32.	normal Delivery. Small baby. L.O.F.
7. V.D.	2 nd	14. 3. 32.	28. 3. 32.	Delivery normal. Clift tear. no sutures. L.O.F.
C.B. 8. J.W.	9 th	23. 3. 32.	5. 4. 32.	Anaesthetic Delivery normal. L.O.F.
9. L.B.	1 st	26. 3. 32.	19. 4. 32.	Instrumental delivery. In labour 32 hours. 2 nd degree perineal tear. 3 rd & 4 th sutures. Bit and well when discharged.
10. R.K.	3 rd	31. 3. 32.	13. 4. 32.	Precipitate labour. Baby delivered in prep. room. Position L.O.F. Cord once round Baby's neck.
11. L.G.L.C.	4 th	31. 3. 32.	13. 4. 32.	Developed 4 th day eclampsia 10 th day. Medical induction. Overdue. normal delivery.
C.B. 12. L.G.L.C.	1 st	5. 4. 32.	16. 4. 32.	Instrumental delivery. Abnormal. Medical & mechanical induction. Otherwise normal.
13. L.G.	5 th	5. 4. 32.	11. 4. 32.	Precipitate labour. Otherwise normal. Position L.O.F.
14. R.B.L.	4 th	4. 4. 32.		Breech presentation. Breech accidental 17 P.M. Stillborn Baby.
15. V.L.	4 th	7. 4. 32.	20. 4. 32.	Anaesthetic. normal delivery. R.O.F. Verley.
C.B. 16. L.G.L.C.	9 th	8. 4. 32.	21. 4. 32.	Prolonged 2 nd stage. Perineal tear and episiotomy. Instrumental delivery. Very oedematous ant. lip.
17. L.G.L.C.	1 st	15. 4. 32.	3. 5. 32.	normal perineum.
18. L.G.	2 nd	9. 4. 32.	20. 4. 32.	normal delivery. Short labour. Pale looking woman Clift P.P.H. on return to bed. Did well.
19. L.G.	1 st	10. 4. 32.	22. 4. 32.	normal delivery. Satisfactory. perineum.
C.B. 20. L.G.	2 nd	3. 5. 32.	5. 6. 32.	normal delivery. normal perineum.

LYING-IN PATIENTS NURSED—continued.

Initials of Patient.	No. of Pregnancy.	Delivered.	Discharged.	Notes on Points of Interest.
21. G. P.	1 st	10. 5. 32.	22. 5. 32.	Healthy young girl. B. Coli. Pus+ in urine. Treated.
22. R. Q. C.	4 th	15. 5. 32.	28. 5. 32.	Impacted shoulder. 12 days later.
23. O. L. W.	1 st	22. 5. 32.	4. 6. 32.	Normal delivery. Episiotomy R & L. performed.
24. L. B. F.	4 th	29. 5. 32.		Normal puerperium.
25.				
26.				
27.				
28.				
29.				
30.				
31.				
32.				
33.				
34.				
35.				
36.				
37.				
38.				
39.				
40.				

BABIES NURSED FOR FIRST TEN DAYS OR MORE.

Initials.	Born.	Discharged.	FEEDING.		Notes on Points of Interest.
			Breast.	Artificial.	
1. B. G.	25. 1. 32.	6. 2. 32.	B. P.	Artificial	Normal. - Gained 4 ozs over Birth weight.
2. J. B.	26. 1. 32.	6. 2. 32.	B.	-	Normal. - " 6 1/2 " " "
3. J. A. P.	31. 1. 32.	29. 2. 32.	B.	-	By mother had bleeding. Normal Babe. Gain 1 1/2 ozs over B.W.
C.B. 4. R. P.	14. 2. 32.	28. 2. 32.	B.	-	Premature Baby. Did well - Gained 1 oz over birth weight.
5. P. S.	15. 2. 32.	26. 2. 32.	B.	-	Normal. BW 11 lbs. 8 ozs. When discharged 11 lbs.
6. L. L.	10. 2. 32.	22. 3. 32.	B.	-	Small male babe. 5 lbs. 15 ozs. When discharged 6 lbs. 6 ozs.
7. G. D.	14. 3. 32.	28. 3. 32.	B.	-	Normal female child 7 lbs. 10 ozs. When discharged 7 lbs. 3 ozs.
8. J. H.	23. 3. 32.	4. 4. 32.	B.	-	Normal male Babe 8 lbs. 14 ozs. - 8 lbs 9 ozs when discharged
9. G. D.	20. 3. 32.	19. 4. 32.	B.	-	Healthy female babe. Rather exhausted after birth. Long labor. Instrumental delivery. W. 9 lbs. Height 8 lbs 15 ozs on discharge.
C.B. 10. A. K.	31. 3. 32.	13. 4. 32.	B.	-	Ble cyanosed for first few days. Did very well.
11. L. G. L. C.	31. 3. 32.	13. 4. 32.	B.	-	Normal Babe - Male. Did not regain B.W.
12. L. G. L. C.	5. 4. 32.	16. 4. 32.	B.	-	Small normal female child 6 lbs 6 ozs. When discharged 6 lbs 6 ozs.
13. L. L.	5. 4. 32.	18. 4. 32.	B.	-	Small child. 6 lbs. 6 ozs. Quite well. Fair and healthy but did
14. G. P.	4. 4. 32.	20. 4. 32.	B.	-	Healthy female babe B.W. 9 lbs 0 ozs. Progressed well. Lungs very troublesome. 1 cl. bronchitis due to expiration of mucus. B.W. 9 lbs 0 1/2 ozs.
C.B. 15. G. L. C.	8. 4. 32.	21. 4. 32.	B.	-	Normal healthy male. Did very well.
16. G. L. C.	9. 4. 32.	20. 4. 32.	B.	-	Very lazy babe for 1st week. Fed 3 times for 2 days. and afterwards did quite well. Circumcised.
17. L. L. C.	15. 4. 32.	9. 5. 32.	B.	-	Weight 7 lbs 0 ozs. Babe did very well. Gained weight.
18. D. L.	10. 4. 32.	22. 4. 32.	B.	-	Premature - Made very slow progress.
19. L. B.	3. 5. 32.	5. 6. 32.	B.	-	Small female babe. 5 lbs 12 ozs. Almost regained B.W.
C.B. 20. L. P.	10. 5. 32.	22. 5. 32.	B.	-	

BABIES NURSED FOR FIRST TEN DAYS OR MORE—continued.

Initials.	Born.	Discharged.	FEEDING.		Notes on Points of Interest.
			Breast.	Artificial.	
21. R. R. C.	15. 5. 32.	28. 5. 32.	B.	"	6 lbs. 13 wks. Did very well.
22. O. L. W.	22. 5. 32.	4. 6. 32.	B.	-	Height. 4 lbs. Gained 4 wks over birth weight.
23. L. O. F.	29. 5. 32.		B.	-	Small healthy female babe.
24.					
25.					
26.					
27.					
28.					
29.					
30.					
31.					
32.					
33.					
34.					
35.					
36.					
37.					
38.					
39.					
40.					

CATHETERS PASSED.

Initials.	Stage of Labour— Catheter passed.	Notes on Points of Interest.
1. H.E.R.	1 st Stage.	Membranes ruptured. Catheter specimen - nothing abnormal.
2. J.A.P.	Puerperium 4 th Day.	Specimen required for laboratory test.
3. R.P.	1 st Stage.	Albuminuria. Specimen for laboratory.
c.B. 4. L.P. H.C.	A.H.C.	For microscopic examination. Urine contains sugar. Hands & feet puffy.
5. G.B.	Not in Labour.	Pain in lumbar region. (Haiting pt). It swelling hands & feet.
6. J.V.P.	Puerperium 1 st Day.	Unable to pass urine. All other nursing measures failed.
7. H.B.	Puerperium 1 st Day.	Unable to pass urine. 2 nd Degree heat of puerperium. 3.17 ozs. with retention.
c.B. 8. R.H.S.	1 st Stage.	admitted acute renal haemorrhage. Urine passed. Unable to pass urine.
9. D.B.	2 nd Stage.	Primipara with prolonged 2 nd Stage - Required catheterizing.
10. H.L. H.C.	2 nd Stage.	Primipara - towards end of 2 nd Stage - Unable to pass urine.
11. B.P.	Not in Labour.	For bacteriological examination. Normal.
c.B. 12. L.P.	Puerperium	Urine offensive. For bact. exam. On Pot. Lit. 99%.
13.		
14.		
15.		
16.		
17.		
18.		
19.		
20.		

ABDOMINAL PALPATIONS.

Initials.	Date.	Stage of Labour.	Diagnosis proved later to be Right or Wrong.	Notes on Points of Interest.
1. D.J.S.	22.1.32.	1 st Stage	Right.	Position: LOA. Foetal heart heard.
2. B.G.	23.1.32.	1 st Stage	Right.	Position: LOA. Foetal heart heard. Head low down.
3. E.G.	28.1.32	2 nd Stage	Wrong.	Position: ROA. Foetal heart heard. Presenting part high.
C.B. 4. E.C.R.	1.2.32	3 rd Stage	Right.	Position: ROA. Foetal heart heard. Normal delivery.
5. J.B.	5.2.32.	1 st Stage	Right	Position: ROA. Foetal heart heard. Normal delivery.
6. R.P.	14.2.32.	1 st Stage	Right.	Position: LOA. Foetal heart heard. Delivery normal.
7. P.E.H.	17.2.32	1 st Stage	Right.	Position: LOA. " " " " " "
C.B. 8. G.B.	4.3.32.	Not in Labour.	Right.	Position: ROA. Foetal heart heard.
9. V.D.	14.3.32.	1 st Stage	Right.	Position: LOA. Foetal heart heard. Rumbles Anus.
10. J.V.P.	21.3.32.	1 st Stage	Wrong.	Position: LOA. Difficult to palpate. Thick abdominal wall.
11. D.B.S.J.	22.3.32.	Not in Labour.	Right	Thick abdominal wall. Position LOA. Vertex.
C.B. 12. G.C.	4.4.32.	1 st Stage.	Right.	ROA. Back to Right - limbs to left. Delivery normal.
13. G.L.C.	8.4.32.	1 st Stage	Right	LOA. Prolonged 2 nd Stage. Presenting part obstructed by redematous ant. lip.
14. E.C.	4.4.32.	Not in labour.	Right.	Perse abdomen. Normal limbs & heart. X-Rayed - Shows both breech presentation. Induced.
C.B. 15. A.B.G.	11.4.32.	1 st Stage	Right.	LOA. Foetal heart heard. Normal delivery.
16. E.L.C.	14.4.32.	1 st Stage	Right.	LOA. Foetal heart heard. Delivery normal.
17. R.H.	14.4.32.	1 st Stage	Wrong.	? ROA. Very difficult to palpate. on account of restlessness. Near end of 1 st Stage. Various upsets of patient.
18. D.B.	18.4.32.	Not in labour.	Right.	LOA. Foetal heart heard.
19. D.J.D.	4.5.32.	1 st Stage.	Right.	ROA. Normal Delivery.
C.B. 20. L.V.H.	5.5.32	Advanced.	Right	LOA. persistent. Caesarean performed

ABDOMINAL PALPATIONS—continued.

Initials.	Date.	Stage of Labour.	Diagnosis proved later to be Right or Wrong.	Notes on Points of Interest.
21. G. W. B.	8. 5. 32.	1st Stage.	Right.	ROA. Very loose-flabby abdomen-tetanus.
22. L. J. C.	11. 5. 32.	1st Stage.	Right.	ROA. Small woman. Tense abdomen.
23. R. J.	22. 5. 32.	Not in labour.	Right.	LOA. Mild degree contracted pelvis. Induction.
24. L. B.	4. 6. 32.	End of 1st Stage.	Right.	LOA. Normal delivery.
25.				
26.				
27.				
28.				
29.				
30.				
31.				
32.				
33.				
34.				
35.				
36.				
37.				
38.				
39.				
40.				

RECTAL EXAMINATIONS.

Initials.	Date.	Stage of Labour.	Diagnosis proved later to be Right or Wrong.	Notes on Points of Interest.
1. D.S.P.	22.1.32.	1 st	Right.	Hard mass well down.
2. B.G.	23.1.32.	1 st	Right.	Hard mass well down.
3. E.G.	28.1.32.	2 nd	Right.	Hard mass. Presenting part well up.
C.B. 4. J.B.	5.2.32.	1 st	Right.	Hard mass well down.
5. R.P.	14.2.32.	1 st	Right.	Hard mass well down.
6. P.F.R.	17.2.32.	1 st	Right.	Hard mass felt. well down.
C.B. 7. G.B.	4.3.32.	Not in labour.	Right.	Presenting part high practically nothing felt.
8. G.P.	21.3.32.	1 st	Right.	Hard mass fairly well down. Pelvis felt. Vertex.
9. D.L.H.	22.3.32.	Not in labour	Right.	Unable to get presenting part - very high.
C.B. 10. L.P.H.	5.4.32.	2 nd	Right.	Head well down.
11. L.L.	6.4.32.	Not in labour.	Right.	Mediocrad induction. Albuminuria. Nothing felt.
12. V.C.	4.4.32.	1 st Stage	Right	Vertex: Hard mass $\frac{3}{4}$ length of index finger up.
C.B. 13. G.H.	8.4.32.	1 st Stage	Right.	Vertex: Hard mass? Soft tumour in front of presenting part.
14. L.L.	5.4.32.	Not in labour.	Right.	Nothing felt. Discharged 12.4.32. 50 weeks gestation. X-rayed. Not pregnant. 6 weeks later.
C.B. 15. G.B.	7.4.32.	Not in labour	Right.	Hard mass very high up. (Pseudo breech presentation)
16. D.C.	10.4.32.	1 st Stage	Right	Hard mass well down. Vertex presentation
17. Q.B.G.	11.4.32.	1 st Stage	Right	Hard mass high up.
18. J.C.	12.4.32.	2 nd Stage	Right	Vertex presenting. Well advanced.
C.B. 19. L.L.	14.4.32.	1 st Stage.	Right.	Hard mass fairly well down.
20. R.R.	14.4.32.	1 st Stage.	Right.	Mass high up - normal delivery.

RECTAL EXAMINATIONS—continued.

Initials.	Date.	Stage of Labour.	Diagnosis proved later to be Right or Wrong.	Notes on Points of Interest.
21. H. S.	16. 4. 32.	1 st Stage.	Right.	Vertex presenting lowdown. Delivery normal.
22. D. C.	18. 4. 32.	Not in Labour.	Right.	Nothing felt. Presenting part high.
23. D. J. D.	4. 5. 32.	1 st Stage.	Right.	Hard mass. Fingers length up.
c. 24. L. P. H.	5. 5. 32.	Advanced.	Right.	Nothing felt per rectum.
25. L. J. C.	11. 5. 32.	1 st Stage.	Right.	Presenting part high. Vertex.
26. R. J.	22. 5. 32.	Not in Labour.	Right.	Presenting part high. Not fixed. Ballotted.
27. H. B.	4. 6. 32.	End of 1 st Stage.	Right.	Vertex presenting. Well down.
28.				
29.				
30.				
31.				
32.				
33.				
34.				
35.				
36.				
37.				
38.				
39.				
40.				

OBSTETRICAL ANÆSTHESIA.

Initials.	No. of Pregnancy.	Time begun.	Time of Delivery.	Method of Delivery.	Notes on Points of Interest.
1. A.P.	13 th	10.30 pm.	11.42 pm.	normal.	LOA: Induced labour - mechanical & medicinal.
2. J.A.P.	1 st	1.40 am.	5.15 am.	normal.	ROA. Retained placenta. 3 hrs 5 mins.
3. E.L.H.	8 th	1 pm.	1.30 pm.	normal.	LOA. Medional Induction.
4. A.R.L.	5 th	6.30 pm.	7.25 pm.	normal.	LOA. Vertex presentation. Baby 8 lbs 12 1/2 ozs.
C.B. 5. D.B.	6 th	3.30 am.	3.45 pm.	normal.	Very long cord - round 3 times round baby's neck. LOA - round baby's neck.
6. C.L.	8 th	4.30 pm.	8.52 pm.	normal.	LOA. Ruedin anaesthetic. Cord round neck.
7. V.L.D.	1 st	1 am.	2.5 am.	normal.	LOA. Healthy male babe.
C.B. 8. J.W.	8 th	2.45 pm.	4.43 pm.	normal.	LOA. Ruedin anaesthetic and neck.
9. J.L.P.	1 st	anesth 3 am.	6.58 am.	normal.	Mask necessary for manual removal of placenta.
10. A.L.	6 th	2 am.	2.15 am.	normal.	Very short 2nd Stage. Condition satisfactory.
C.B. 11. J.J.L.	2 nd	5 pm.	5.3 pm.	normal.	Breech presentation LOA. Cord 4 ft long. 10 mins round baby's neck. PPH 4 pints drawn.
12.					
13.					
14.					
15.					
16.					
17.					
18.					
19.					
20.					

ABNORMAL CASES SEEN.

Initials.	No. of Pregnancy.	Nature of Complication.	Treatment.	Result.	
				Mother.	Baby.
1. C.B.	1 st	Small narrow pelvis.	Caesarian Section	Satisfactory	Satisfactory
2. L.L.	1 st	Albuminuria	Diet. Copious fluids. Colonic irrigations. Mechanical & medicinal induction.	Satisfactory	Stillborn
3. M.L.	3 rd	Breech presentation. Both legs one arm extended	Child delivered normally. arm brought down - but would not cling to body.	Satisfactory	Satisfactory
C.B. 4. O.R.	1 st	Eclampsia	On admission. General oedema. Diet. fluids. 1/2 gr. Sulph. Colonic irrigations. Stomach lavage. Phosphoric & Bromide PR. Mechanical induction.	Both	Satisfactory
5. R.L.S.	6 th	Accidental lacera- tion of perineum.	(4 th month) General anæsthesia. Tarsus packed & poulticed. Blood transfusion. Rectal Saline.	Fair.	Stillborn.
6. L.L.L.C.	1 st	Albuminuria. 8 th month.	Diet. Copious fluids. Mechanical & medicinal induction	Both	Satisfactory.
C.B. 7. G.L.C.	9 th	Oedematous anterior lip. Obstructed labour.	Instrumental delivery.	Satisfactory	Healthy.
8. O.L.R.	2 nd	Toxic Eclampsia.	General hospital patient for 1 month. prior to labour. Lycop. rest etc.	Very Satisfactory recovery	Good.
9. O.L.	5 th	Cardiac Failure.	Bed on blocks raised for shock. Hot vapour douche. Intravenous. Subcut Saline. 1/2 gr. Camphor in oil. Morphine & Atropine too.	Deceased.	Good.
C.B. 10. L.R.	2 nd	Toxic Eclampsia	Absolute rest in bed for 1 month prior to delivery. Lycop. 1/2 gr. ROS.	Both	Satisfactory.
11. L.P.H.	1 st	Obstructed Labour.	G.A. Unreducible persistent. supra-pubic Craniotomy performed - Instrumental.	Collapsed and died.	Stillborn.
C.B. 12. G.H.B.	1 st	Eclampsia - 1 fit.	Colonic irrigations. Fluids. Diet. 1/2 gr. Sulph. and tenna. Ammonia carbonate. Phosphoric & Bromide. Instrumental delivery. R. P. P. P.	Good recovery.	Stillborn.
13.					
14.					
15.					
16.					
17.					
18.					
19.					
20.					

Old.

ANTE-NATAL PATIENTS EXAMINED—continued.

Initials.	No. of Pregnancy.	First seen.	Number of Visits.	Date of Delivery.	RESULT.		Notes.
					Mother.	Baby.	
21. B. Hie.	3 rd .	20. 11. 31.	5 th .	12. 3. 32.	Both Satisfactory		Normal delivery. Healthy babe.
22. A. G.	4 th .	20. 11. 31.	4 th .	11. 4. 32.	Both Satisfactory		Delivery normal. Pl. PPH. Cawl over baby's face. no hear.
23. A. P.	1 st .	28. 8. 31.	8 th .	24. 2. 32.	Both Satisfactory		Instrumental delivery. Passage-shaped membranes.
24. J. H.	2 nd .	20. 11. 31.	3 rd .	24. 2. 32.	Both Satisfactory		Normal delivery. Baby partially asphyxiated.
C.B. 25. L. S. Lc.	4 th .	17. 11. 31.	4 th + 14	5. 4. 32.	Both Satisfactory		albuminuria. Labour induced. Instrumental delivery. Delivery troublesome. High pressure prescribed by Dr. Good health. Delivery normal. Mild post-partum haemorrhage. Healthy female babe.
26. V. C.	4 th .	9. 12. 31.	5 th .	7. 4. 32.	Both Satisfactory		admitted 14. 4. 32. Genitourinary ruptured
27. L. L. Lc.	1 st .	31. 10. 31.	4 th + 3.	15. 4. 32.	Both Satisfactory		Very well. 2 am. Delivered normally male babe 15. 4. 32.
C.B. 28. L. S. Lc.	6 th .	18. 12. 31.	3 rd .	17. 4. 32.	Both Satisfactory		Normal delivery. Healthy babe.
29. J. B.	1 st .	16. 10. 31.	5 th .	6. 2. 32.	Both Satisfactory		Normal delivery. Male child.
30. E. V. O.	1 st .	23. 10. 31.	10.	5. 2. 32.	Both Satisfactory		Normal delivery. Male child.
C.B. 31. A. L. A.	9 th .	10. 2. 32.	2.	17. 2. 32.	Both Satisfactory		Louis palpated - X-rayed - foetus ROP. Head not fixed. Large normal healthy baby. 6 lbs 10 oz. Impacted shoulders
32. R. R. C.	4 th .	8. 12. 31.	5.	15. 5. 32.	Both Satisfactory		1st degree tear. X-rayed. High pressure prescribed for frequent paroxysms
33. L. S. Lc.	2 nd .	8. 2. 32.	4.	7. 5. 32.	Both Satisfactory		musculature.
C.B. 34. L. S. Lc.	1 st .	12. 2. 32.	3.	27. 4. 32.	Both Satisfactory		Delivery normal. Placenta retained 3 hours. Manually removed by Dr. Vaginal douche given
35. R. H.	4 th .	6. 10. 31.	6.	14. 4. 32.	Both Satisfactory		Normal delivery. Male babe. Inverted woman.
36. E. S. B.	4 th .	16. 2. 32.	4.	18. 4. 32.	All Satisfactory		Legs very swollen and painful. Any to narrow neck. X-ray showed twins both breech. 4 lbs - 6 lbs. 4 oz. boy 6 lbs 10 oz. Normal delivery - breech.
C.B. 37. P. K.	1 st .	28. 1. 32.	9.	4. 5. 32.	Both Satisfactory		Prophylactic institution of posterior position by Bristle technique. Small pelvis. Instrumental delivery. Admitted 23. 3. 32. not in labour - 2d. show.
38. B. J.	1 st .	21. 12. 31.	10.	28. 8. 32.	Both Satisfactory		Prophylactic institution of posterior position by Bristle technique. Small pelvis. Instrumental delivery. Admitted 23. 3. 32. not in labour - 2d. show.
39. D. S. Jg.	6 th .	22. 1. 32.	4.	31. 5. 32.	Both Satisfactory		Prophylactic institution of posterior position by Bristle technique. Small pelvis. Instrumental delivery. Admitted 23. 3. 32. not in labour - 2d. show.
C.B. 40. V. O.	2 nd .	9. 2. 32.	11.	14. 2. 32.	Both Satisfactory		Normal delivery. Female child 4 lbs 10 oz.

ANTE-NATAL PATIENTS EXAMINED—continued.

Initials.	No. of Pregnancy.	First seen.	Number of Visits.	Date of Delivery.	RESULT.		Notes.
					Mother.	Baby.	
41. G. A.	1 st	23.2.32	5	27.5.32.	Both Satisfactory		Patient has very cold otherwise well. 14.3.32. Normal delivery. ROP. 2nd degree tear. 3849.
42. D. C.	1 st	22.1.32.	4.	10.4.32	Both Satisfactory		Pelvic measurements small. X-rayed. Amniotes 4.4.31. albuminous. Long labour 24 hours. Very sore.
43. A. H.	3 rd	26.1.32	5	31.3.32.	Both Satisfactory		Healthy looking woman B.P. 140. 15.3.32. Painless labour. (Babe born in chamber).
44. J. S.	2 nd	10.3.32	7				Healthy woman.
45. P. L. C.	5 th	16.4.32.					History of easy labours. Not sleeping well. Congenital hip. Short woman.
46. L. E. P.	1 st	26.4.32					In good health.
47. J. S. S.	4 th	4.4.32.	2.	23.5.32	Both Satisfactory		Healthy woman. Normal delivery.
48. L. B.	1 st	29.4.32.					Excellent health.
49. P. B.	3 rd	15.4.32.					Previous Babies not breastfed.
50. L. E.	2 nd	8.3.32.					B.P. 130. Watched carefully.
51. D. G. H.	1 st	22.5.32.	6.	28.5.32.	Both Satisfactory		Healthy woman. Normal Delivery.
52. L. E.	1 st	15.4.32.					In good health.
53.							
54.							
55.							
56.							
57.							
58.							
59.							
60.							

PATIENTS NURSED IN THE LYING-IN WARDS.

Initials: B.G. Age: 19. No. of pregnancy: 1st Period of pregnancy: Term.
 Reference to other entries—see pages 32 25 21 18 14
 Admitted 23.1., 1932, at 7.30 ~~a.m.~~ p.m. Result: { Mother: Satisfactory
 Child: Satisfactory Discharged: 6.2.32.

Previous history: -
 Previous pregnancies, number of: -; abortions, -; miscarriages, -; premature, -; full term, -
 Date of last menstruation: April 3rd., 1931. Health during present pregnancy: -
 Previous labours, nature of: - Date of last labour: -

ON ADMISSION.
 Condition on entry, or at beginning of labour: Good.
 Temperature: 97°. Pulse: 72. Examined before admission by -
 Urine: specific gravity, 10.10.; reaction, acid; albumen, nil; sugar, nil

Began at 5 ~~a.m.~~ p.m. on 23.1., 1932. Membranes ruptured at 10.40 ~~a.m.~~ p.m. on 23.1., 1932.
 Infant born at 11 ~~a.m.~~ p.m. on 23.1., 1932. Placenta delivered at 11.10 ~~a.m.~~ p.m. in 10 minutes.

LABOUR.
 Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	
<u>4³⁰/₆₀ hrs.</u>	<u>1 hr.</u>	<u>1⁰⁰/₆₀ hrs.</u>	<u>5³⁰/₆₀ hrs.</u>

 Perineum ruptured: {

Degrees.		
1st.	2nd.	3rd.
<u>-</u>	<u>-</u>	<u>-</u>

 Time of suturing: 11.15 ~~a.m.~~ p.m. on 23.1., 1932.
 Nature of suturing: Satisfactory No. of sutures: 1
 Union: Satisfactory Position: LOA.
 Presentation: Vertex.
 Nature of labour: normal.
 Complications: nil. Perineal tear
Small laceration of labia.
 Placenta: Complete. Membranes: Intact. Liquor amnii: Scanty.

PUERPERIUM.
 Lactation established: 3rd day. Breasts: Good. Date of first leaving bed: 31.1.32.
 Complications: nil.
 Condition on leaving hospital: Satisfactory

INFANT.
 Condition at birth: { Premature.
Stillborn.
Full term.
Asphyxiated. Sex: Male. Length: 22¹/₂" Weight at birth: 7 lbs. 10 oz.
 Mode of feeding: Natural and artificial Weight at discharge: 7 lbs. 14 oz.
 Condition on leaving hospital: Satisfactory. Date of separation of cord: 31.1.32.

NOTES ON THE LABOUR AND THE PUERPERIUM, WITH SPECIAL REFERENCE TO THE
LOCHIA, BREASTS, PROGRESS OF INFANT, ETC.

1st day		Transferred from H.O. in P. Stage labour. Boyling prep. given. P. permitted several times undisturbed food & milk. No animal delivery of male child 11 pm. P. Stage labour complete 11/10 pm.
2nd "		Pelvic Duplex byot ice given (H.S.) Perineal tear R. Depue. 1874 g. Culture. Pulse good. Fundus firm. Lochia. P & R.
3rd "		Coadition satisfactory. Fundus firm. Lochia P & R. Breasts comfortable. Babe good. Bl. Riini early am. 2nd Puri Dyck's byot 700 gr. Fundus firm Lochia P & R. Iodoforn suppurating inserted am 9 pm. Has small laceration at labia.
4th "		Bl. Riini given. BHO. Lochia m & p. Fundus firm. Breasts good. Lactation established.
5th "		Fairly comfortable. Lochia m & p. Fundus contracting. Lactation good. Rash irritable H.S. adenomatous mii.
6th "		Rt bright. Rash still troublesome. Lochia m & R. Fundus firm. Lyr Pres. zi Tos PC.
7th "		Good. Rash easier. Lochia m & B. Fundus firm.
8th "		Perineal suture removed. - union good. up 1/2 hour. Very well. Puri Dyck's discontinued.
9th "		up. 2 hours. Rt. well. Lochia P & P. Fundus firm. Breasts good.
10th "		" 4 hours. Left well. Lochia P & P. Fundus firm.
11th "		" 8 hours. Very well. Is. weaning babe - 1 pm feed omitted.
12th "		" 8 hours. " " Lochia P & P. Fundus firm.
13th "		up all day. " " Babe cross. Circumcised.
14th "		Discharged. Mother and babe satisfactory.

Babe doing well on humanised milk. Is to be adopted.
Mother a single girl and unable to keep babe when
discharged. Babe $4\frac{1}{2}$ ozs over birth weight. C. G.

Infant.

C. 3

Initials: J. R. P. Age: 24 No. of pregnancy: 1st Period of pregnancy: Full term.
 Reference to other entries—see pages 11, 18, 21, 34, 34
 Admitted 30.1., 1932, at 11.30 a.m. Result: { Mother: fair. Discharged: 28.2.32.
 { Child: Doing well.
 Previous history: ante. Natal Chart. 1017. Health Good.
 Previous pregnancies, number of: 0; abortions, 0; miscarriages, 0; premature, 0; full term, 0
 Date of last menstruation: 25.4 April, 1932. Health during present pregnancy: Good.
 Previous labours, nature of: - Date of last labour: -
 Condition on entry, or at beginning of labour: Good.
 Temperature: 99.6 Pulse: 96 Examined before admission by -
 Urine: specific gravity, 10.20; reaction, acid; albumen, nil; sugar, nil.
 Began at 11 a.m. on 30.1, 1932. Membranes ruptured at 11.30 p.m. on 30.1, 1932.
 Infant born at 5.15 a.m. on 31.1, 1932. Placenta delivered at 9.20 a.m. in 35.5 minutes.
 Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	
<u>3 3/4 hrs</u>	<u>3 hrs</u>	<u>3 1/2 hrs</u>	<u>9 3/4 hrs</u>

 Perineum ruptured:

Degrees.		
1st.	2nd.	3rd.
<u>/</u>	<u>/</u>	<u>/</u>

 Time of suturing: - a.m. on -, 1932
 Nature of suturing: - No. of sutures: -
 Union: - Position: R.O.A.
 Presentation: Vertex.
 Nature of labour: Abnormal.
 Complications: Retained placenta - Para left labium. 4 inch bruising.
Slight superficial tear.
 Placenta: Complete & healthy Membranes: Complete. Liquor amnii: normal amount.
 Lactation established: 2nd day Breasts: Good. Date of first leaving bed: 6.2.32.
 Complications: Pleurisy R. Lung. History of same one week before admission.
 Condition on leaving hospital: fair - still some crepitations top of R. Lung.
 Condition at birth: { Premature.
 { Stillborn.
 { Full term.
 { Asphyxiated.
 Mode of feeding: Breast. Weight at birth: 8 lbs. 4 ozs.
 Condition on leaving hospital: Doing well. Weight at discharge: 9 lbs. 2 1/2 ozs.
 Date of separation of cord: 4.2.32.

Infant. 13 W. 8 lbs. 4 ozs.

My female - Height.

1. P.O. P.M. Suckling well.

P.O. Suckling well.

P.O. 50. Height. 8 lbs

Suckling well

" " W. 4 lbs. 15 ozs.

" "

" " W. 50.

" " W. 4 lbs. 15 ozs.

" "

" " W. 4 lbs. 15 ozs.

" Suckling well.

" W. 8 lbs. 2 ozs.

" Contented.

" W. 8 lbs. 3 1/2 ozs.

"

" W. 8 lbs. 6 ozs.

" Good.

" W. 8 lbs. 7 ozs.

C. G.

20th Day - Good. No pain. Appetite good. ^{Hamilton} Babe doing well.

21st Day - Sleeping a lot. Feeling well. No lochia. Infant Good 8-9.

22nd Day - Good. Chest examined by Dr. D. higher today.

23rd Day - Very bright and feeling well. Temp normal. Infant good W. 8. 12 1/2.

24th Day - Good am. A little higher.

25th Day - Good am. Bright and comfortable. Infant good W. 8 - 12.

26th Day - Up. Feeling well.

27th Day - Good. Not complaining. Babe good. W. 8. 14 1/2.

28th Day - Good. Feeling well.

29th Day - Patient discharged. Examined by Dr. Dykeman. Still some crepitations top of right lung. History of pleurisy one week before admission to hospital. Babe doing well. Height when discharged - 9 lbs 2 1/2 ozs.

28.2.32.

24.2.32.

C. 9

Initials: R. P. Age: 21. No. of pregnancy: 1st Period of pregnancy: 9 10 months.
Reference to other entries—see pages 11 - 14 - 19 - 21 - 24 - 26 - 32.
Admitted 14 - 2, 1932, at 11:45 a.m. Result: { Mother: Satisfactory
Child: Satisfactory Discharged: 21. 2. 32.

Previous history: Auto haem. 191.
Previous pregnancies, number of: 0; abortions, 0; miscarriages, 0; premature, 0; full term, 0.
Date of last menstruation: June 10th, 1931. Health during present pregnancy: Fair.
Previous labours, nature of: 0 Date of last labour: 0

CONDITION ON ADMISSION.
Condition on entry, or at beginning of labour: Albuminuria - Hands and feet swollen.
Temperature: 98 Pulse: 82. Examined before admission by Dr. Blundell.
Urine: specific gravity, 10.20; reaction, alkaline.; albumen, present.; sugar, nil.
Began at 11 a.m. on 13. 2., 1932. Membranes ruptured at 4:30 a.m. on 14. 2, 1932.
Infant born at 4:50 a.m. on 14. 2, 1932. Placenta delivered at 5 a.m. in 10 minutes.

LABOUR.
Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	
<u>1 1/2 hrs.</u>	<u>50 60 min.</u>	<u>10 50 min.</u>	<u>3 hrs.</u>

 Perineum ruptured:

Degrees.		
1st	2nd.	3rd.
<u>/</u>	<u>/</u>	<u>/</u>

 Time of suturing: 5 a.m. on 14. 2, 1932.
Nature of suturing: W No. of sutures: 1
Union: W
Position: LOA.
Presentation: Vertex.
Nature of labour: normal.
Complications: nil.

Placenta: Complete and healthy. Membranes: Complete. Liquor amnii: normal Amount.
Lactation established: 2nd day. Breasts: Good - nipples inverted Date of first leaving bed: 19. 2. 32.
Complications: nil.
Condition on leaving hospital: Satisfactory.

INFANT.
Condition at birth: { Premature. 9 months. Sex: Female. Length: 20" Weight at birth: 5 lbs. 5 ozs.
Stillborn. Full term. Weight at discharge: 5 lbs. 6 ozs.
Asphyxiated. Mode of feeding: Breast fed. Date of separation of cord: 22. 2. 32.
Condition on leaving hospital: Satisfactory.

NOTES ON THE LABOUR AND THE PUERPERIUM, WITH SPECIAL REFERENCE TO THE
LOCHIA, BREASTS, PROGRESS OF INFANT, ETC.

B.P. 148 on admission.		Infant.
1st day	Admitted in 1st stage labour. Abnormal present in urine. Lungs & feet swollen. hoarsely delivered of healthy female child 1-month premature at 4.50 PM. Placenta completely detached. Condition satisfactory. Lochia S+R. Pundus firm.	BW. 5-lbs 5-ozs. healthy. 1-month premature - Delid. P.O.P.M. Not taking too much. Breast milk given by bottle. P.V. P.M. W. 5 lbs. 17.
2nd "	Lochia S+R. Pundus firm. Lactation established. Tippled small amount. Milk expressed qgh.	
3rd "	Very well. B.W. 8-lbs 5-ozs. good result. Lochia S+R. Pundus firm and involuting. Milk expressed qgh. Breast good.	Taking food well. B.M. 2 1/2 sily.
4th "	Satisfactory. Lochia S+R. Pundus firm.	Fair today. W. 5 lbs.
5th "	Up 10 mins. D. pain in lumbar spine. Lochia M+R. Pundus firm.	Suckling better. P.O. B.O.
6th "	Up 1/2 hour. Feeling well. ^{Breast food.} Milk expressed. Lochia M+R. Pundus firm.	Red sily. Suckling well. P.V. B.O. W. 5.1.
7th "	Up 2 hours. " " Lochia M+R. Pundus firm. Breast good.	" " " Not suckling so well.
8th "	Up 4 hours. " " Lochia S+PK. " " " "	" " " Suckling well. W. 5.2.
9th "	Up 6 hours " " Lochia S+PK. Breast good.	Suckling well. B.O. P.O.
10th "	Up 8 " " " Lochia S+PK.	" " H. 5-lbs. 4 ozs.
11th "	Up 8 " " " Lochia S+PK. " " "	" " P.O. B.O.
12th "	Up all day " " Lochia S+PK. " " "	" " H. 5-lbs. 4 ozs.
13th "	" " " " " Lochia S+PK. " " "	" " P.O. B.O.
14th "	Patient discharged. Feeling very well.	Daily well. H. 5-lbs. 6 ozs.
28. 2. 32.		
		C. G.

Initials: P.S. Age: 23. No. of pregnancy: 2nd. Period of pregnancy: Full term.
Reference to other entries—see pages 21.

Admitted 16.2., 1932, at 5.15 a.m. Result: { Mother: Satisfactory
Child: Satisfactory Discharged: 26.2.32.

HISTORY.

Previous history: Ante Natal. Chart - M. Helens Copy.

Previous pregnancies, number of: 1; abortions, -; miscarriages, -; premature, -; full term, 1

Date of last menstruation: May 6th, 1931. Health during present pregnancy: Good.

Previous labours, nature of: Normal. 2 cluturs. Date of last labour: Sept. 11th 1929.

CONDITION ON ADMISSION.

Condition on entry, or at beginning of labour: Good.

Temperature: 97.4 Pulse: 100. Examined before admission by -

Urine: specific gravity, 10.20.; reaction, alkaline; albumen, nil; sugar, nil.

Began at 2 a.m. on 16.2., 1932. Membranes ruptured at 9.45 a.m. on 16.2., 1932.

Infant born at 9.45 a.m. on 16.2., 1932. Placenta delivered at 9.55 a.m. in 10 minutes.

LABOUR.

Stages.				Total.	Perineum ruptured:	Degrees.		
1st.	2nd.	3rd.	1st.			2nd.	3rd.	
<u>6 15</u>	<u>6 15</u>	<u>6 15</u>	<u>6 15</u>	<u>24 15</u>	<u>1st.</u>	<u>-</u>	<u>-</u>	

Hours in labour: 6 15 a.m. on 16.2., 1932. Time of suturing: 10 a.m. on 16.2., 1932.

Presentation: Vertex. Nature of suturing: Catgut. No. of sutures: 2.

Nature of labour: Normal. Union: Good. Position: L.O.A.

Complications: 1st degree tear of perineum.

Placenta: Complete and healthy. Membranes: Complete. Liquor amnii: 6 measures.

PUERPERIUM.

Lactation established: 3rd day Breasts: Good. Date of first leaving bed: 22.2.32.

Complications: Nil.

Condition on leaving hospital: Satisfactory.

INFANT.

Condition at birth: { Premature.
Stillborn.
Full term.
Asphyxiated. Sex: Male. Length: 22 1/2. Weight at birth: 11 lbs 8 ozs.

Mode of feeding: Breast fed. Weight at discharge: 11 lbs. Date of separation of cord: 24.2.32.

Condition on leaving hospital: Satisfactory.

Infant

ded

Initials: L. H. Age: 34 No. of pregnancy: 3rd Period of pregnancy: Full term.

Reference to other entries—see pages 17, 18, 21.

Admitted 10.3., 1932, at 3.45 a.m. Result: { Mother: Satisfactory
Child: Satisfactory Discharged: 22.3.32.

Previous history: Not an ante-natal patient.

Previous pregnancies, number of: 2; abortions, -; miscarriages, -; premature, -; full term, 2.

Date of last menstruation: June 4th, 1932 Health during present pregnancy: Satisfactory.

Previous labours, nature of: Normal. Date of last labour: May 16th 1930.

Condition on entry, or at beginning of labour: Good.

Temperature: 97. Pulse: 70. Examined before admission by -

Urine: specific gravity, 10.00; reaction, acid.; albumen, trace.; sugar, nil.

Began at 12 a.m. on 10.3., 1932. Membranes ruptured at 12 a.m. on 10.3., 1932.

Infant born at 2 p.m. on 10.3., 1932. Placenta delivered at 2.34 p.m. in 34 minutes.

Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	
<u>13 30/60</u>	<u>40/60</u>	<u>34/60</u>	<u>14 34/60</u>

 Perineum ruptured:

Degrees.		
1st.	2nd.	3rd.
<u>1</u>	<u>2</u>	<u>3</u>

 Time of suturing: - a.m. on -, 1932. Nature of suturing: - No. of sutures: - Union: - Position: LOA.

Presentation: Vertex

Nature of labour: Normal.

Complications: Nil.

Placenta: Complete. Membranes: Complete. Liquor amnii: Graduate.

Lactation established: 3rd day. Breasts: Good. Date of first leaving bed: 15.3.32.

Complications: Nil.

Condition on leaving hospital: Good.

Condition at birth: { Premature. -
Stillborn. -
Full term. -
Asphyxiated. - Sex: Male. Length: 19 1/2" Weight at birth: 5 lbs 15 ozs.

Condition on leaving hospital: Satisfactory. Mode of feeding: Breast-fed. Weight at discharge: 6 lbs 6 ozs. Date of separation of cord: 19.3.32.

Infant:

cg

Initials: V. O. Age: 20 No. of pregnancy: 2nd Period of pregnancy: Full term.

Reference to other entries—see pages 37, 25, 21, 18, 14.

Admitted 14.5, 1932, at 10.45 a.m. Result: { Mother: Satisfactory
Child: Satisfactory Discharged: 29.3.32.

Previous history: Quite healthy. 1931.

Previous pregnancies, number of: 1; abortions, -; miscarriages, -; premature, -; full term, 1.

Date of last menstruation: May 13th, 1931. Health during present pregnancy: Good.

Previous labours, nature of: Normal. Relatively complicated. Date of last labour: 18.3.31.

Condition on entry, or at beginning of labour: Good.

Temperature: 98 Pulse: 80 Examined before admission by -

Urine: specific gravity, 10.10; reaction, acidic; albumen, nil; sugar, nil.

Began at 4 a.m. on 14.3., 1932. Membranes ruptured at 4.15 a.m. on 14.3., 1932

Infant born at 4.25 p.m. on 14.3., 1932. Placenta delivered at 4.35 p.m. in 25 minutes.

LABOUR. Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	
<u>4^{hrs}</u>	<u>3^{hrs}</u>	<u>4^{hrs}</u>	<u>12^{hrs}</u>

 Perineum ruptured:

Degrees.		
1st.	2nd.	3rd.
<u>1st</u>	<u>-</u>	<u>-</u>

 Time of suturing: - a.m. on -, 1932
p.m. on -, 1932

Nature of suturing: - No. of sutures: 0

Union: -

Presentation: Vertex. Position: LOA.

Nature of labour: Normal. (Anesthetized.)

Complications: Pl. tear. perineum. no lacerations.

Placenta: Complete. Membranes: Complete. Liquor amnii: moderate.

Lactation established: 3rd day Breasts: good. Date of first leaving bed: 19.5.32.

Complications: nil.

Condition on leaving hospital: Satisfactory.

INFANT. Condition at birth: { Premature.
Stillborn.
Full term.
Asphyxiated. Sex: Female. Length: 21" Weight at birth: 4 lbs. 10 ozs.

Weight at discharge: 4 lbs. 13 ozs.

Date of separation of cord: 19.3.32.

Condition on leaving hospital: Satisfactory.

NOTES ON THE LABOUR AND THE PUERPERIUM, WITH SPECIAL REFERENCE TO THE
LOCHIA, BREASTS, PROGRESS OF INFANT, ETC.

Infant.

1st day	admitted 12 days. Labour. Delivery. Pains. Lochia. Breasts. Infant. Height 4 lbs. 10 ozs. P.M.	delivered female child 4.25. 3.45. Complete 25 mins. 4.40. 100 lbs.	Normal healthy female.
2nd "	Up well. Satisfactory. Lochia P & R. Pains fine. Breasts good.		Suckling well. P.M.
3rd "	Satisfactory. E-nema given good result. Lochia P & R. Pains fine.		Daisy well.
4th "	Good. Pains moderate. Lochia P & R. Breasts good.		Slightly jaundiced. Water given between feeds W 4 lbs 8 ozs.
5th "	Satisfactory. Up 10 mins. Pains fine. Lochia m & B.		Good. W. 4 lbs. 8 ozs.
6th "	Up 20 minutes. Feeling well. " " Lochia m & R. E-nema given.		" Suckling well.
7th "	Up 1 hour. " " " " Lochia m & B.		" W. 4 lbs. 11 ozs.
8th "	Up 2 hours. " " Lochia P & R. Pains fine. E-nema given.		" Daisy well.
9th "	Up 4 hours. Breasts good. Lochia m & R. " " "		" Continued.
10th "	Up 6 hours. " " Lochia P & R. 1st given.		" "
11th "	Up 8 hours. " " Lochia P & R.		" W. 4 lbs. 13 ozs.
12th "	Up 8 hours. " " Lochia scanty.		Daisy well.
13th "	Up all day. Feeling very well.		Height 4 lbs 10 ozs.
14th "	Mother and babe both discharged. Condition of both. Satisfactory.		
	29. 3. 32.		
			C.B.

Initials: J. K. Age: 31 No. of pregnancy: 9th Period of pregnancy: Full term.

Reference to other entries—see pages

Admitted 23.3, 1932, at 1 ^{a.m.}_{p.m.} Result: { Mother: Satisfactory
Child: Satisfactory Discharged: 5.4.32.

Previous history: See Ante Natal Chart. etc. 1931.

Previous pregnancies, number of: 8; abortions, -; miscarriages, 1; premature, -; full term, 4

Date of last menstruation: May 20th, 1931. Health during present pregnancy: Good.

Previous labours, nature of: Normal. Date of last labour: 2.11.30.

Condition on entry, or at beginning of labour: Good.

Temperature: 98.4 Pulse: 90. Examined before admission by -

Urine: specific gravity, 10.20; reaction, acid; albumen, nil; sugar, nil.

Began at 12.30 ^{a.m.}_{p.m.} on 23.3., 1932. Membranes ruptured at 1.30 ^{a.m.}_{p.m.} on 22.2., 1932.

Infant born at 4.33 ^{a.m.}_{p.m.} on 23.3., 1932 Placenta delivered at 4.51 ^{a.m.}_{p.m.} in 8. minutes.

LABOUR.

Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	
<u>12 3/4 hrs.</u>	<u>4 3/4 hrs.</u>	<u>8 mins.</u>	<u>16 1/2 hrs.</u>

 Perineum ruptured:

Degrees.		
1st.	2nd.	3rd.

 Time of suturing: - ^{a.m.}_{p.m.} on -, 19-

Presentation: Vertex Position: LOA.

Nature of labour: Normal. Anaesthesia.

Complications: nil

Placenta: Complete. Membranes: Complete. Liquor amnii: byadmate.

PUERPERIUM.

Lactation established: 3rd Day. Breasts: Good. Date of first leaving bed: 28.3.32.

Complications: nil.

Condition on leaving hospital: Satisfactory.

INFANT.

Condition at birth: { Premature.
Stillborn.
Full term.
Asphyxiated. Sex: Male. Length: 22 1/2" Weight at birth: 8 lbs 14 ozs.
Weight at discharge: 8 lbs 9 ozs.

Condition on leaving hospital: Doing well. Mode of feeding: Breast. Date of separation of cord: 29.3.32.

Robert first admitted February 22nd
Dunstable by arch 3. 1964. History

22nd ~~memoranda~~ ^{History} of Chart Labour.

members replaced but not in labour.

Infant.

5. 4. 92.

C. G.

Initials: E. B. Age: 26 No. of pregnancy: 12 Period of pregnancy: Full Term.

Reference to other entries—see pages 18, 21, 24.

Admitted 26. 3., 1932, at 11 ^{a.m.} p.m. Result: { Mother: Satisfactory
Child: Satisfactory Discharged: 19. 4. 32.

Previous history: -

HISTORY. Previous pregnancies, number of: 0; abortions, 0; miscarriages, 0; premature, 0; full term, 0

Date of last menstruation: 24. 6., 1931. Health during present pregnancy: Good.

Previous labours, nature of: - Date of last labour: -

CONDITION ON ADMISSION. Condition on entry, or at beginning of labour: Good.

Temperature: 99.6 Pulse: 92 Examined before admission by Dr. Lamb.

Urine: specific gravity, 10.10; reaction, acid; albumen, nil; sugar, nil.

Began at 4.30 a.m. on 25. 3., 1932. Membranes ruptured at 12.30 ^{a.m.} p.m. on 26. 3., 1932.

Infant born at 4.2 ^{a.m.} p.m. on 26. 3., 1932. Placenta delivered at 4.20 ^{a.m.} p.m. in 18 minutes.

LABOUR. Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	
<u>29.00</u>	<u>33.00</u>	<u>18.00</u>	<u>30.00</u>

 Perineum ruptured:

Degrees.		
1st.	2nd.	3rd.
<u>-</u>	<u>+</u>	<u>-</u>

 Time of suturing: 4.10 ^{a.m.} p.m. on 26. 3., 1932.

Nature of suturing: PH 4. No. of sutures: 8.

Union: good.

Position: L.O.A.

Presentation: Vertex.

Nature of labour: Instrumental.

Complications: Abnormal 3rd stage.

Placenta: Complete Membranes: Complete. Liquor amnii: Normal.

PUERPERIUM. Lactation established: 1st Day. Breasts: Good. Date of first leaving bed: 6. 4. 32.

Complications: nil.

Condition on leaving hospital: Good.

INFANT. Condition at birth: { Premature.
Stillborn.
Full term.
Asphyxiated. Sex: Female. Length: 22. Weight at birth: 9 lbs.
Mode of feeding: Breast. Weight at discharge: 9 lbs 15 oz.
Date of separation of cord: 30. 3. 32.

Condition on leaving hospital: Progressed Satisfactorily.

25.3.12. Patient admitted in 1st Stage of Labour. Lymph. post. 100. Pains regular not severe.
 26.3.12. Pains increased - and 2nd Stage. No advancement in 2nd Stage. Externally delivered of healthy female child at 4.30. 3rd Stage complete 18 mins. Perineum lacerated 2nd degree. Lochia L & R. Fundus firm.

NOTES ON THE LABOUR AND THE PUERPERIUM, WITH SPECIAL REFERENCE TO THE

General Anaesthetic.

LOCHIA, BREASTS, PROGRESS OF INFANT, ETC.

Infant.

1st day	unable to pass urine. Catheter passed 6 am, 17 mts. Lochia L & R. Some obliquity of fundus - high but firm. Parity swayed day P.O. 150g.	Healthy female child 9 lbs. 10 oz. Parity 150g.	
2nd "	Urine early pm. Brighter later. Subcutaneous fluid. Very light. Haemorrhoids painful. Gall Bladder may. applied. Lochia L & R. Fundus firm.	Condition quite good. Lurking well. Parity 150g.	
3rd "	Urine the same. Urine given with fair fluid and passed result. All treatment continued. Lactation partially established. Breasts O.K.	Height 8 lbs 5 oz. Lurks and drinks well. P.O. 150g.	
4th "	Urine early pm. Unable to pass urine. Urine given with effect. Poor passed result. Urine brighter. P.O. 150g. Lochia & Fundus O.K.	Cord separated. Urine discharging lightly. P.O. 150g.	
5th "	Not very bright. BHO following Dr. Rini. Breasts & fundus satisfactory.	H. 8 lbs 5 oz. L. B. 8. Duik. P.V.	
6th "	Cheerful. BHO. Lurks same. Surrounding area still painful. Lochia L & R.	Daily well.	
7th "	Very bright. No complaints. Sleeping well.	H. 8.0 1/2. Lurking well.	
8th "	Lurks removed. Urine good. Lochia increased 2 PK. Breasts. App 99g.	Very contented.	
9th "	Bright. Exercises commenced. Perineum satisfactory. Breasts good.	H. 8.6 1/2. Daily well.	
10th "	Urine the same. Bowels troublesome. Lochia fundus & breasts O.K.	The same.	
11th "	Up 10 minutes. Lelt well. BHO. Ap. given.	"	
12th "	Up 30 minutes. Short walk. BHO.	"	
13th "	Up 1 1/2 hours. Lelt well. BHO.	Babe very good.	
14th "	Very Bright.	Daily well.	
15th Day.	Daily very well. On Lyr Pres. TDS. and Lyr. Extent.		
	In hospital 3 weeks. Progressed satisfactorily - fit and well on discharge.	On discharge 8 lbs. 15 oz.	
	19.4.12.		
			C. G.

Initials: A. H. Age: 32. No. of pregnancy: 3rd Period of pregnancy: Full Term.

Reference to other entries—see pages 18. 21. 17. 38. 14. 11.

Admitted 31. 3., 1932, at 3.45 a.m. Result: { Mother: Satisfactory
Child: Doing very well. Discharged: 15. 4. 32.

Previous history: ANC. 189.

Previous pregnancies, number of: 2.; abortions, 0; miscarriages, 0; premature, 0; full term, 2.

Date of last menstruation: 23. 6., 1932. Health during present pregnancy: Good.

Previous labours, nature of: 1st. normal. 2nd. Breech. Date of last labour: 12. 8. 31.

Condition on entry, or at beginning of labour: Good.

Temperature: 97.6. Pulse: 80. Examined before admission by ANC.

Urine: specific gravity, 10.10.; reaction, alkaline; albumen, nil; sugar, nil.

Began at 1 a.m. on 31. 3., 1932. Membranes ruptured at 4.5 a.m. on 31. 3., 1932.

Infant born at 4.5 a.m. on 31. 3., 1932. Placenta delivered at 4.25 a.m. in 20 minutes.

Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	
<u>1hr.</u>	<u>2 1/2.</u>	<u>2 1/2.</u>	<u>3 1/2.</u>

 Perineum ruptured:

Degrees.		
1st.	2nd.	3rd.
<u>-</u>	<u>-</u>	<u>-</u>

 Time of suturing: — a.m. on —, 19
Nature of suturing: — No. of sutures: —
Union: —

Presentation: Vertex. Position: LOA.

Nature of labour: normal.

Complications: Precipitate labour.

Placenta: Complete. Membranes: born. Liquor amnii: hyaline.

Lactation established: 3rd day. Breasts: Comfortable Date of first leaving bed: 7. 4. 32.

Complications: Toxic glands. Rupt. 4th day.

Condition on leaving hospital: Very Satisfactory.

Sex: Female. Length: 22 1/2" Weight at birth: 8 lbs 14 ozs.

Condition at birth: { Premature.
Stillborn.
Full term.
Asphyxiated. Mode of feeding: Breast. Weight at discharge: 8 lbs 16 ozs.

Date of separation of cord: 5. 4. 32.

Condition on leaving hospital: Very Satisfactory.

NOTES ON THE LABOUR AND THE PUERPERIUM, WITH SPECIAL REFERENCE TO THE
LOCHIA, BREASTS, PROGRESS OF INFANT, ETC.

Day	Notes	Remarks
1st day	Labour commenced 1 am. Admitted 1.45 am in 2nd stage. Healthy female babe delivered normally 4.0 am. Blood rather freely 6.30 am. Condition satisfactory. Spurred. Lochia very free. Fundus undrained. Blood expressed. Uterus & well below umbilicus. P.V. BHO II.	Healthy female babe. 8 lbs 14 oz. rather cyanosed at birth.
2nd "		Luckily well. P.V. PM.
3rd "	Comfortable. Fundus involuting. Lochia S.P.R. Breast's good.	Cyanosed. Brandy 7.15 99L.
4th "	Feeling well early am. Had report 1.30 pm. 2.10.0. Rantins 1 given. Breast's hard. Antipho plaster applied. Vaginal douche. Tenua. Syolom 1/2 for 2 days.	Luckily well. P.V. PM.
5th "	Still very well. No feeling better. Perspiration freely during night. P.P.R. normal. BHO. enema given. Good result. Lochia S.P. Fundus free.	Colour improving. Luckily well. P.V. B.O.
6th "	Feeling stronger. Fundus well involuted. Lochia scanty. Breast's good.	Improving.
7th "	Satisfactory. Fundus, lochia and breast satisfactory.	Babe good.
8th "	Up while bed made. Very well.	Gaining weight. B.O.P.O.
9th "	Up for 1 hour. Satisfactory. Fundus & lochia good.	Same.
10th "	Good. up for 2 hours. General condition much improved.	Doing well.
11th "	Satisfactory. up 4 hours. Fundus, lochia and breast OK.	" "
12th "	up 6 hours. Fundus well involuted. Breast's good.	" "
13th "	father and babe discharges - both satisfactory.	W. 8 lbs. 16 oz.
14th "		

Initials: L. S. L. Age: 31 years No. of pregnancy: 4th Period of pregnancy: Full term
 Reference to other entries—see pages 18 21
 Admitted 31. 3., 1932 at 8 a.m. Result: { Mother: Bl. feeding Discharged: 13. 4. 32.
 { Child: Bl. feeding

Previous history: ANC. 108.
 Previous pregnancies, number of: 3; abortions, 0; miscarriages, 0; premature, 0; full term, 3.
 Date of last menstruation: 15. 6., 1931. Health during present pregnancy: Good.
 Previous labours, nature of: Normal. Date of last labour: 2. 1. 28.

CONDITION ON ADMISSION.
 Condition on entry, or at beginning of labour: Satisfactory.
 Temperature: 97.8 Pulse: 84 Examined before admission by -
 Urine: specific gravity, 10.10; reaction, acid; albumen, nil; sugar, nil.
 Began at 6.45 a.m. on 31. 3., 1932. Membranes ruptured at 9.40 a.m. on 31. 3., 1932.
 Infant born at 9.52 a.m. on 31. 3., 1932. Placenta delivered at 10.05 a.m. in 15 minutes.

LABOUR.

Stages.	Total.			Perineum ruptured:	Degrees.		
	1st.	2nd.	3rd.		1st.	2nd.	3rd.
Hours in labour:	<u>2 1/2</u>	<u>1 1/2</u>	<u>1 1/2</u>	<u>3 1/2</u>	<u>-</u>	<u>-</u>	<u>-</u>

 Time of suturing: - a.m. on -, 19-
 Nature of suturing: - No. of sutures: -
 Union: -
 Position: LOA.
 Presentation: Vertex.
 Nature of labour: Normal.
 Complications: Nil

Placenta: Complete. Membranes: Complete. Liquor amnii: Scanty.

PUERPERIUM.
 Lactation established: 3rd day Breasts: Good. Date of first leaving bed: 14. 4. 32.
 Complications: Developed mild erythema 10th day. Breaked i. Gen. Pot. Cit. pro 99k.
 Condition on leaving hospital: Satisfactory.

INFANT.
 Condition at birth: { Premature.
 { Stillborn.
 { Full term.
 { Asphyxiated.
 Sex: Male Length: 22 1/2" Weight at birth: 8 lbs 9 ozs.
 Mode of feeding: Breast. Weight at discharge: 8 lbs 3 1/2 ozs.
 Condition on leaving hospital: Satisfactory. Date of separation of cord: 1. 4. 32.

Infant.

C. G.

Initials: L. B. L. Age: 25 No. of pregnancy: 12 Period of pregnancy: 210
Reference to other entries—see pages 19, 21, 24, 28, 32, 35, 37, 210
Admitted 80.3, 1932, at 3.30 ~~a.m.~~ p.m. Result: { Mother: Satisfactory
Child: Both Satisfactory Discharged: 16.4.32

Previous history: RNC. 159
Previous pregnancies, number of: 0; abortions, 0; miscarriages, 0; premature, 0; full term, 0
Date of last menstruation: July 21st, 1931. Health during present pregnancy: Good
Previous labours, nature of: - Date of last labour: -

CONDITION ON ADMISSION.
Condition on entry, or at beginning of labour: Albuminuria - admitted for treatment and induction of labour.
Temperature: 97.8 Pulse: 88 Examined before admission by Dr. G. G. G. G. RNC.
Urine: specific gravity, 1; reaction, acid; albumen, trace; sugar, nil
Began at 9 a.m. on 4.4, 1932. Membranes ruptured at 5 ~~a.m.~~ p.m. on 4.4, 1932.
Infant born at 10.45 a.m. on 5.4, 1932. Placenta delivered at 10.45 a.m. in 20 minutes.

LABOUR.
Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	
<u>26 1/2</u>	<u>1 1/2</u>	<u>20</u>	<u>48 1/2</u>

 Perineum ruptured: {

Degrees.		
1st.	2nd.	3rd.
<u>+</u>	<u>-</u>	<u>-</u>

Time of suturing: 10.30 a.m. on 5.4, 1932.
Nature of suturing: S.H.G. No. of sutures: 1
Union: Satisfactory
Position: LOA
Presentation: Vertex
Nature of labour: Instrumental
Complications: Albuminuria 2. degree Lev.

Placenta: Complete Membranes: Complete Liquor amnii: Gradual
Lactation established: 8.4.32 Breasts: Good Date of first leaving bed: 12.4.32
Complications: Nil
Condition on leaving hospital: Satisfactory Trace of albumin in urine

POERPERIUM.
INFANT.
Condition at birth: { Premature.
Stillborn.
Full term.
Asphyxiated.
Sex: Female Length: 20" Weight at birth: 6 lbs 6 ozs.
Mode of feeding: Breast Weight at discharge: 6 lbs 5 ozs.
Date of separation of cord: 11.4.32
Condition on leaving hospital: Satisfactory

LOCHIA, BREASTS, PROGRESS OF INFANT, ETC.

Ans. Co

Obstet.—5*

Initials: R. L. S. Age: 41 No. of pregnancy: 6th Period of pregnancy: 4/10
Reference to other entries—see pages 14, 18, 24, 211
Admitted 3.4, 1932, at 9.45 ~~a.m.~~ p.m. Result: { Mother: _____ Discharged: _____
Child: Stillborn

Previous history: _____
Previous pregnancies, number of: 6; abortions, _____; miscarriages, 2; premature, _____; full term, 3
Date of last menstruation: _____, 19 _____ Health during present pregnancy: _____
Previous labours, nature of: _____ Date of last labour: _____

CONDITION ON ADMISSION.
Condition on entry, or at beginning of labour: Collapsed condition leucorrhoea. ante partum
Temperature: _____ Pulse: _____ Examined before admission by _____
Urine: specific gravity, _____; reaction, _____; albumen, _____; sugar, _____

Began at 7.45 a.m. on 4.4, 1931. Membranes ruptured at 12.25 a.m. on 5.4, 1932.
Infant born at 12.54 a.m. on 6.4, 1932. Placenta delivered at 12.56 a.m. in 2 minutes.

LABOUR.
Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	
<u>4 1/2</u>	<u>1 1/4</u>	<u>1/2</u>	<u>6 1/4</u>

 Perineum ruptured:

Degrees.		
1st.	2nd.	3rd.

 Time of suturing: _____ a.m. on _____, 19 _____
Nature of suturing: _____ No. of sutures: _____
Union: _____ Position: P.S.P.
Presentation: Breech.
Nature of labour: normal.
Complications: _____

Placenta: Complete. Membranes: Complete. Liquor amnii: moderate.

PUERPERIUM.
Lactation established. with Compressed breasts. grad. Date of first leaving bed: _____
Complications: gill suppression commenced 3rd Day.
Condition on leaving hospital: _____

INFANT.
Condition at birth: { Premature. _____ Sex: Female. Length: _____ Weight at birth: _____
Stillborn. _____ Weight at discharge: _____
Full term. _____ Mode of feeding: _____ Date of separation of cord: _____
Asphyxiated. _____
Condition on leaving hospital: _____

Admitted 3.4.32. 9.45 p.m. In collapsed condition. Some accidental ante partum haemorrhage. Vagina packed lightly by Dr. 7.4.32. Looking freely. Rashes in for chock. C.P. 2 A.M. 3rd withdrawn. Taking drinks well.
4.4.32. Looking freely all day. Some rhots. Blood transfusion given 4 P.M. El. improved. Still haemorrhaging.

NOTES ON THE LABOUR AND THE PUERPERIUM, WITH SPECIAL REFERENCE TO THE
LOCHIA, BREASTS, PROGRESS OF INFANT, ETC.

5' 4' 32.

1st day	... normally delivered (after removal of vaginal packing) of premature child at 12.54 am. General shape complete in 2 minutes. Improved state. Feeding not excessive. Bid on high blocks. P.V. colour pale. Pulse good. Vaginal douche given. few clots expressed. Temp 100.10 am.
2nd "	... Complaining of nausea and headache. Not taking fluids so well. Temp 100.400 10 pm.
3rd "	... Feeling weak and miserable today. Aspx & i Chloral Bromide given. Not sleeping well. Lochia I & R.
4th "	... Night sleep very broken - but doing most of day and feeling better. SOH. I & R. no lactation. Pulse improved. Colour better - Taking foods & fluids well.
5th "	... Post confinement menses 7 to 10. Not so well. appetite poor. Tumor in right leg and groin painful. SO. P.V. frequently with suppression continued. No lactation as far. Lochia I & R. Breasts full. 99.101. Treated with compresses. Tumor tender. Tumor same. Not fomenting to
6th "	... Same. Lochia & I & R. Satisfactory. Tumor 7. Quinine 10.5 given. Pt not feeling so well. Vaginal douche given. Retained clots. 99.101. Leg better. Breast more comfortable.
7th "	... Feeling much better. Taking nourishment well. To have large lymphatic TOS. Had a much better night. Last chloral Bromide 8 pm & 10 pm. Lactation decreasing.
8th "	... Having hair extract and Lymphatic TOS. Very good night. All in given. Tumor to elbow. Looking rather inflamed.
9th "	... and septic. Taking nourishment well. Good am. Lochia scanty. Tumor involuting. Tumor in groin and by shell painful. K is scleroid and glyceric. Tumor to elbow. Better night.
10th "	... Just the same. Area at site of transfusion deeply inflamed. Lament's applied.
11th "	... General condition improving. Tumor the same. Douches given.
12th "	... Vaginal douche given. Glyceric and scleroid introduced into vagina. Pt comfortable.
13th "	... Just the same. Still rather miserable.
14th "	... The same - Manual treatment. Slight improvement.
30.4.32.	Condition improving gradually. Tumor disappearing. Had heartless attack - soon recovered.
4.5.32.	Improving - Out in sun on wheel-brolley all am.

C. G.

Initials: P. E. Age: 27 No. of pregnancy: 5th Period of pregnancy: Full Term
Reference to other entries—see pages 18, 21

Admitted 4.4, 1932, at 7.30 ^{a.m.} p.m. Result: { Mother: Satisfactory
Child: Good Discharged: 10.4.32

Previous history: Good

Previous pregnancies, number of: 4; abortions, .; miscarriages, .; premature, .; full term, 4

Date of last menstruation: July 21st, 1931, Health during present pregnancy: Good

Previous labours, nature of: normal Date of last labour: Sept 14th. 1930

Condition on entry, or at beginning of labour: Good

Temperature: 97.4 Pulse: 88 Examined before admission by Dr. Bannister

Urine: specific gravity, 10.20; reaction, acid; albumen, nil; sugar, nil

Began at 9.30 ^{a.m.} ~~p.m.~~ on 6.4, 1932, Membranes ruptured at 10.20 ^{a.m.} ~~p.m.~~ on 6.4, 1932

Infant born at 10.20 ^{a.m.} ~~p.m.~~ on 6.4, 1932 Placenta delivered at 10.25 ^{a.m.} ~~p.m.~~ in 5 minutes.

Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	
<u>5 1/2</u>	<u>1 1/2</u>	<u>1 1/2</u>	<u>8 1/2</u>

 Perineum ruptured:

Degrees.		
1st.	2nd.	3rd.
<u>-</u>	<u>-</u>	<u>-</u>

 Time of suturing: 10.30 ^{a.m.} ~~p.m.~~ on 6.4, 1932
Nature of suturing: W No. of sutures: 19

Presentation: Vertex Union: W Position: LOA

Nature of labour: normal precipitate

Complications: nil

Placenta: Complete Membranes: Complete Liquor amnii: Good

Lactation established: 7.4.32 Breasts: Good Date of first leaving bed: 9.4.32

Complications: nil

Condition on leaving hospital: Good

Condition at birth: { Premature.
Stillborn.
Full term.
Asphyxiated. Sex: Female Length: 20" Weight at birth: 6 lbs 6 ozs.

Mode of feeding: Breast Weight at discharge: 6 lbs. 10 ozs.

Condition on leaving hospital: Satisfactory Gaining weight slowly Discharged 5 days under birth weight. Date of separation of cord: 11.4.32

NOTES ON THE LABOUR AND THE PUERPERIUM, WITH SPECIAL REFERENCE TO THE
LOCHIA, BREASTS, PROGRESS OF INFANT, ETC.

		Infant.
1st day	Admitted 4.4.32 not in labour. Indefinite pains began 9.30 am 5.6.32 Painful labour - normally delivered small healthy female child at 10.20 am. 3-4 lbs complete in 5 mins. Condition good. Lochia 2-3.	Birth weight 6 lbs 6 oz. Good. P.M.
2nd "	Satisfactory day. Lochia 4-5 R. Pundus firm and involuting.	Satisfactory. Suckling well. Pubic breast 99.
3rd "	Good well. Old Rini given. BHO Lochia 4-5 R. Pundus good. Lactation partially established. Breast good.	Babe tried and suckles not sucking well. P.M.
4th "	Very well. Lochia 4-5 PK. Pundus involuting. Breast satisfactory. Milk expressed.	Such the same.
5th "	up 10 minutes. Condition good.	Still suckles. Gained water between feeds.
6th "	up 1/2 hr. Satisfactory. Lochia 4-5 R. Pundus and breast good.	Same. 4 exp. powder 1/2 am & pm for 5 days.
7th "	up 1 hour. Good.	Same. Cord separated.
8th "	up 2 hours. Satisfactory.	Red 3 lbs. Still lacy.
9th "	up 4 hours. Very well.	1 lb. 10 oz.
10th "	up and dressed. " "	Loose weight. Last day of powder.
11th "	Very bright.	Very tried. Red 4 lbs.
12th "	Satisfactory day. Lochia 4-5 R. Pundus and breast good.	Babe brighter. Gaining weight.
13th "	Condition good. Lochia somewhat offensive. Douches given.	Such better.
14th "	Father and babe anchaia. Father well. Babe progressing slowly.	6 lbs. 1 oz. Doing well.
	19.4.32.	
		C.F.

Initials: G.E. Age: 38. No. of pregnancy: 4th. Period of pregnancy: Full Term
Reference to other entries—see pages 18. 21. 25. 32. 37.

Admitted 7.4, 1932 at 0:15 a.m. Result: { Mother: Satisfactory.
Child: Satisfactory. Discharged: 20.4.32.

Previous history: AME. 161.

Previous pregnancies, number of: 3.; abortions, -; miscarriages, -; premature, -; full term, 3.

Date of last menstruation: July 5th, 1932. Health during present pregnancy: Good.

Previous labours, nature of: 1st instrumental 2nd natural. Date of last labour: 1.9.28

Condition on entry, or at beginning of labour: Good.

Temperature: 97.4 Pulse: 80. Examined before admission by AME.

Urine: specific gravity, 10.10.; reaction, alk.; albumen, nil; sugar, nil.

Began at 3 a.m. on 7.4, 1932. Membranes ruptured at 8.0.3 a.m. on 7.4, 1932.

Infant born at 9.5 a.m. on 7.4, 1932. Placenta delivered at 9.17 a.m. in 12 minutes.

Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	
<u>8$\frac{1}{2}$0.</u>	<u>2$\frac{1}{2}$0.</u>	<u>1$\frac{1}{2}$0.</u>	<u>9$\frac{1}{2}$0.</u>

 Perineum ruptured:

Degrees.		
1st.	2nd.	3rd.

 Time of suturing: - a.m. on -, 19-
Nature of suturing: - No. of sutures: -
Union: -

Presentation: Vertex Position: ROA.

Nature of labour: normal

Complications: Light Post-partum haemorrhage.

Placenta: Complete and healthy. Membranes: Complete. Liquor amnii: adequate.

Lactation established: 9.4.32. Breasts: Good. Date of first leaving bed: 12.4.32.

Complications: nil.

Condition on leaving hospital: Satisfactory.

Condition at birth: { Premature.
Stillborn.
Full term.
Asphyxiated. Sex: Female. Length: 22" Weight at birth: 9 lbs 5 ozs.
Mode of feeding: Breast. Weight at discharge: 9 lbs.
Date of separation of cord: 13.4.32.

Condition on leaving hospital: Satisfactory.

NOTES ON THE LABOUR AND THE PUERPERIUM, WITH SPECIAL REFERENCE TO THE
LOCHIA, BREASTS, PROGRESS OF INFANT, ETC.

		Infant.
1st day	Admitted in labour. Routine preparation given. Anesthetics given. ^{Healthy female babe 9.5 lbs. Slight PPH. Routine R.} 6.4 at 3 ¹ given. P. 1 cc. Hemorrhage controlled. Fundus firm.	Healthy female babe. Height 9 lbs. 5 ozs. PUPM.
2nd "	Very comfortable day. Fundus firm. Lochia m & R.	Daisy well.
3rd "	Comfortable. Fundus firm. Lochia m & R. St. lactation. Bl. R. in firm	Suckling well. P.U. P.M.
4th "	Fundus involuting well. Breasts and lochia satisfactory	Controlled.
5th "	Daisy well. Everything satisfactory.	"
6th "	up for 10 mins. Complaining of puffiness R. ankle. ^{lymphatics & ulcers applied} Same elevated	Suckling well. P.U. R.O.
7th "	not up. Same treatment to leg. kept at rest.	Has discharge in eye. Dr. ly. Applied 10% instilled
8th "	up in chair 2 hours. Leg elevated. Feeling comfortable. Lochia m & R.	Eye improving.
9th "	Daisy well. Fundus well involuted. Breasts and lochia good.	Daisy well. Cycled.
10th "	up 6 hours. Daisy very well.	The same.
11th "	Walking on leg. Feeling very well. Lochia: P & R.	Gaining weight. Eye improving.
12th "	up. feeling well.	Daisy well.
13th "	up very well. Everything satisfactory.	Eye much improved.
14th "	Patient discharged - leg much improved. Babe doing well but still 5 ozs. under birth weight.	Height 9 lbs.
D.O. H. 32.		
		C.G.

Initials: G. H. C. Age: 34 No. of pregnancy: 9th Period of pregnancy: Full term.
Reference to other entries—see pages 19, 21, 20, 32.

Admitted 8.4, 1932, at 12.30 a.m. Result: { Mother: Satisfactory
Child: Satisfactory Discharged: 21.4.32.

Previous history: ANC. 197.

Previous pregnancies, number of: 8; abortions, 0; miscarriages, 0; premature, 0; full term, 8

Date of last menstruation: July 9th, 1931 Health during present pregnancy: Good.

Previous labours, nature of: First 4 normal. 8th Breech. External version performed. Date of last labour: January 1931.

Condition on entry, or at beginning of labour: Fair.

Temperature: 98 Pulse: 80 Examined before admission by ANC.

Urine: specific gravity, 10.04; reaction, acid; albumen, nil; sugar, nil.

Began at 8.30 a.m. on 7.4, 1932 Membranes ruptured at 4.20 a.m. on 8.4, 1932

Infant born at 8.35 a.m. on 8.4, 1932 Placenta delivered at 8.45 a.m. in 10 minutes.

Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	
<u>9²⁰/₆₀</u>	<u>1³⁰/₆₀</u>	<u>1⁰⁰/₆₀</u>	<u>9⁵⁰/₆₀</u>

 Perineum ruptured:

Degrees.		
1st.	2nd.	3rd.
<u>/</u>		

 Time of suturing: / a.m. on /, 19
Nature of suturing: / No. of sutures: /

Presentation: Vertex Position: LOA.

Nature of labour: Instrumental.

Complications: Very oedematous anterior lip (protruding) of throat. and obstructing presenting part. Prolapsed 2nd stage.

Placenta: Complete Membranes: Complete. Liquor amnii: adequate.

Lactation established: 11.4.32 Breasts: Good. Date of first leaving bed: 12.4.32.

Complications: Nil.

Condition on leaving hospital: Satisfactory.

Condition at birth: { Premature.
Stillborn.
Full term.
Asphyxiated. Sex: Male. Length: 22" Weight at birth: 9 lbs. 5 1/2 ozs.
Mode of feeding: Breast. Weight at discharge: 8 lbs 15 1/2 ozs.

Condition on leaving hospital: Satisfactory. Date of separation of cord: 16.4.32.

NOTES ON THE LABOUR AND THE PUERPERIUM, WITH SPECIAL REFERENCE TO THE
LOCHIA, BREASTS, PROGRESS OF INFANT, ETC.

Antichloria

Infant.

	Admitted 12.30 am in 1st Stage. Labour. ruptured preparation. Instrument.	Healthy male babe.
1st day	... fully delivered at 1.30 am. Antichloria up 400 very adenomatous and obstructing resulting part. A very hard. Mild fully-lays distended. P. undus firm.	... H. 9 lbs. 15 oz. 72 hours. 12 (1) P.M.
2nd "	... P. undus comfortable. P. undus firm and involuting. Lochia m. r. R. Breasts comfortable. Cough troublesome. 721 P. undus pain & relief.	... P. undus troublesome. 721 P. undus. 721 P. undus. 721 P. undus.
3rd "	... General condition quite satisfactory. Lactation fairly well established. Haemorrhoids painful & inflamed. Cocain 47% to 50%.	... Lactation well. Still very cross & chest wheezy.
4th "	... P. undus very full and uncomfortable. 721 P. undus.	... Much improved. P. undus renewed. P. undus.
5th "	... P. undus brighter. up 10 m. P. undus involuting well. up 10 m. Lochia creamy. Lactation good.	... Improved. 2 little sucking in of m. r. R. Lactation well.
6th "	... Good. up for short while. Cocain 47% to 50% to haemorrhoids	... Improving.
7th "	... up 1/2 hour. 72 P. undus involuting.	... Much improved.
8th "	... Very good day. up 2 hours. P. undus and lochia satisfactory	... Doing well
9th "	... Good day. Bright.	... The same. progressing.
10th "	... up 6 hours. tired but very well. General condition good.	... Satisfactory.
11th "	... up 8 hours. Very good day	... Babe good.
12th "	... Very tired but well. P. undus. lochia and breast satisfactory	... Good.
13th "	... up all day. Very well. P. undus discharge tomorrow.	... Babe very well. P. undus.
14th "	... Father and babe both discharged. Condition satisfactory	... up 9 lbs. 15 1/2 oz.

21.4.32.

C. G.

Initials: F.P. Age: 24 No. of pregnancy: 2nd Period of pregnancy: Full term.
Reference to other entries—see pages 18, 21.
Admitted 9.4., 1932, at 6.15 ^{a.m.} p.m. Result: { Mother: Satisfactory. Discharged: 20.4.32.
Child: Satisfactory.

Previous history: Quite good.
Previous pregnancies, number of: 1; abortions, -; miscarriages, -; premature, -; full term, 1
Date of last menstruation: June 14th, 1931. Health during present pregnancy: Good.
Previous labours, nature of: normal Date of last labour: January 1930.

CONDITION ON ADMISSION.
Condition on entry, or at beginning of labour: Good.
Temperature: 97.2 Pulse: 88 Examined before admission by -
Urine: specific gravity, 10.04; reaction, acid; albumen, nil; sugar, nil.
Began at 6 ^{a.m.} p.m. on 9.4., 1932. Membranes ruptured at 6 ^{a.m.} p.m. on 9.4., 1932.
Infant born at 8.15 ^{a.m.} p.m. on 9.4., 1932. Placenta delivered at 8.50 ^{a.m.} p.m. in 15 minutes.

LABOUR.
Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	
<u>1 hr.</u>	<u>1 1/2 hr.</u>	<u>30.</u>	<u>2 1/2 hr.</u>

 Perineum ruptured:

Degrees.		
1st.	2nd.	3rd.
<u>-</u>	<u>-</u>	<u>-</u>

 Time of suturing: - a.m. on -, 19-
Nature of suturing: - No. of sutures: -
Union: - Position: LOA
Presentation: Vertex
Nature of labour: normal
Complications: Sept. P.P.H.

Placenta: Complete. Membranes: Complete. Liquor amnii: moderate
PUERPERIUM.
Lactation established: 12.4.32. Breasts: Good. Date of first leaving bed: 14.4.32.
Complications: nil
Condition on leaving hospital: Satisfactory.

INFANT.
Condition at birth: { Premature. Sex: Male. Length: 21" Weight at birth: 7 lb. 3 1/2 oz.
Stillborn. Full term. Weight at discharge: 7 lb. 4 1/2 oz.
Asphyxiated. Mode of feeding: Breast. Date of separation of cord: 14.4.32.
Condition on leaving hospital: Satisfactory.

Infant

C. 5

Initials: *W. D. H.* Age: *22* No. of pregnancy: *1st* Period of pregnancy: *Full term*
Reference to other entries—see pages *14, 18, 21, 24, 25, 32, 37.*
Admitted *14.4.32*, 1932, at *3* a.m. Result: { Mother: *Satisfactory.*
p.m. { Child: *Satisfactory.* Discharged: *8.5.32.*

Previous history: *MNC, 1st.*
Previous pregnancies, number of: *-*; abortions, *-*; miscarriages, *-*; premature, *-*; full term, *-*
Date of last menstruation: *July 6th*, 1931. Health during present pregnancy: *Good.*
Previous labours, nature of: *-* Date of last labour: *-*

Condition on entry, or at beginning of labour: *Satisfactory.*
Temperature: *99°* Pulse: *88* Examined before admission by *A. L. C.*
Urine: specific gravity, *1004*; reaction, *acid*; albumen, *nil*; sugar, *nil*

Began at *2* a.m. on *14.4*, 1932 Membranes ruptured at *2* a.m. on *14.4*, 1932
p.m.
Infant born at *1.15* a.m. on *15.4.32*, 1932 Placenta delivered at *1.25* a.m. in *10* minutes.
p.m.

Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	
<i>19⁴⁵/₆₀</i>	<i>3³⁰/₆₀</i>	<i>1⁰/₆₀</i>	<i>23¹⁵/₆₀</i>

 Perineum ruptured:

Degrees.		
1st.	2nd.	3rd.
<i>/</i>	<i>/</i>	<i>/</i>

 Time of suturing: */* a.m. on */*, 1932
p.m. Nature of suturing: */* No. of sutures: */*
Union: */* Position: *LOA.*
Presentation: *Vertex.*
Nature of labour: *Normal.*
Complications: *Nil.*

Placenta: *Complete.* Membranes: *Complete.* Liquor amni: *Hydrate.*

Lactation established: *18.4.32.* Breasts: *Good.* Date of first leaving bed: *19.4.32.*
Complications: *Nil.*
Condition on leaving hospital: *Satisfactory.*

Condition at birth: { Premature.
Stillborn.
Full term.
Asphyxiated. Sex: *Male.* Length: *20"* Weight at birth: *7 lbs 11 ozs.*
Mode of feeding: *Breast.* Weight at discharge: *7 lbs 8 ozs.*
Date of separation of cord: *20.4.32.*
Condition on leaving hospital: *Satisfactory.*

Infant.

C.S.

Initials: S. G. Age: 26 No. of pregnancy: 1st Period of pregnancy: Full term
Reference to other entries—see pages 18, 21, 24
Admitted 7.4, 1932, at 12.30 a.m. Result: { Mother: Satisfactory
p.m. { Child: Satisfactory Discharged: 22.4.32

Previous history: A.N.C. 187
Previous pregnancies, number of: -; abortions, -; miscarriages, -; premature, -; full term, -
Date of last menstruation: June 1st, 1931. Health during present pregnancy: Good
Previous labours, nature of: - Date of last labour: -

CONDITION ON ADMISSION.
Condition on entry, or at beginning of labour: Good
Temperature: 98.4 Pulse: 70 Examined before admission by RNC
Urine: specific gravity, 10.20; reaction, acid; albumen, -; sugar, -
Began at 6.30 a.m. on 9.4, 1932, Membranes ruptured at 2.45 a.m. on 10.4, 1932.
Infant born at 8.30 a.m. on 10.4, 1932, Placenta delivered at 9.15 a.m. in 45 minutes.

LABOUR.
Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	
<u>20⁴⁵/₆₀</u>	<u>6⁴⁵/₆₀</u>	<u>4³⁰/₆₀</u>	<u>27¹⁵/₆₀</u>

 Perineum ruptured:

Degrees.		
1st	2nd.	3rd.
<u>/</u>	<u>/</u>	<u>/</u>

Presentation: Vertex
Nature of labour: normal
Complications: nil
Time of suturing: - a.m. on -, 19
Nature of suturing: - No. of sutures: -
Union: -
Position: LOA

Placenta: Complete Membranes: Complete Liquor amnii: Graduate
Lactation established: 12.4.32 Breasts: Good Date of first leaving bed: 14.4.32
Complications: nil
Condition on leaving hospital: Satisfactory

INFANT.
Condition at birth: { Premature.
Stillborn.
Full term.
Asphyxiated. Sex: Female Length: 20" Weight at birth: 7 lbs 5 ozs.
Mode of feeding: Breast Weight at discharge: 7 lbs 4 1/2 ozs.
Condition on leaving hospital: Very Satisfactory Date of separation of cord: 14.4.32

Initials: K. O. Age: 31. No. of pregnancy: 2nd Period of pregnancy: 9/10
Reference to other entries—see pages 18. 21. 215.

Admitted 5. 5., 1922, at 10. 15. a.m. Result: { Mother: Satisfactory
Child: Impending. Discharged: 6. 6. 32.

Previous history: ANC. 230.

HISTORY. Previous pregnancies, number of: 7; abortions, -; miscarriages, -; premature, -; full term, 7.

Date of last menstruation: August 13th, 1921. Health during present pregnancy: Good.

Previous labours, nature of: Normal Breech - Cerebral Date of last labour: 4 1/2 years ago.

CONDITION ON ADMISSION. Condition on entry, or at beginning of labour: Good.

Temperature: 97.4 Pulse: 72. Examined before admission by Dr. J. C. Ray. Rahawara.

Urine: specific gravity, 10. 30.; reaction, acid.; albumen, nil; sugar, nil.

Began at 1 a.m. on 3. 5., 1932 Membranes ruptured at 11. 45 a.m. on 3. 5., 1932.

Infant born at 12. 40 a.m. on 3. 5., 1932, Placenta delivered at 12. 45 a.m. in 5. minutes.

LABOUR. Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	
<u>10 45/80</u>	<u>1 3/10</u>	<u>4 5/10</u>	<u>11 55/80</u>

 Perineum ruptured:

Degrees.		
1st.	2nd.	3rd.
<u>✓</u>	<u>x</u>	<u>x.</u>

 Time of suturing: 12. 40 a.m. on 3. 5., 1932

Nature of suturing: 2nd. No. of sutures: 1

Union: Good

Position: ROA.

Presentation: Vertex.

Nature of labour: Normal.

Complications: Low perineum. rt. dysc.

Placenta: Complete Healthy. Membranes: Complete. Liquor amnii: by adequate.

POERPERIUM. Lactation established: 3rd. Day. Breasts: Good. Date of first leaving bed: 10. 5. 32.

Complications: nil

Condition on leaving hospital: Very well

INFANT. Condition at birth: { Premature. 3 weeks. Sex: Male. Length: 20 1/2" Weight at birth: 6 lbs 10 ozs.
Stillborn.
Full term.
Asphyxiated. Mode of feeding: Breast. Weight at discharge: 7 lbs 6 ozs.

Condition on leaving hospital: Satisfactory. Still very slow at feeds but gaining weight. Date of separation of cord: 12. 5. 32.

NOTES ON THE LABOUR AND THE PUERPERIUM, WITH SPECIAL REFERENCE TO THE
LOCHIA, BREASTS, PROGRESS OF INFANT, ETC.

1st day	Admitted 10.30 am. in full stage labour. Rontgen preparation. Healthy and male babe. 3 weeks premature. Dried.
2nd "	For the 1st time complete 5 minutes. 1st degree tear. Fundus firm. Lochia R. 3.40 P.M. Very satisfactory. P. undus firm. Lochia R. 3.40 P.M. Breast good. Very lazy. P.M.P.
3rd "	Satisfactory. Lactation almost established. Oil foramen's applied. Not suckling. Fed shly.
4th "	Bright this am. Boti P. undus removed. Lochia R. 4 P.M. The same. Bowls regular.
5th "	The same. Lochia scanty. Breast good. Doing a little better.
6th "	Bright. Lochia, P. undus and breast satisfactory. Still shly. very lazy.
7th "	The same. Doing very well. Suckling better. Fed 9 P.M.
8th "	Culture removed. Union good. up 10 mins. Just the same.
9th "	up 2 hr. feeling well. Breast good. Taking food better.
10th "	up 2 hours. Breast full. milk expressed. Just better. 6 lbs. 7 ozs.
11th "	up 4 hours. Very satisfactory. Circumcised.
12th "	up 6 hours. Breast good. Rather less milk. Very lazy. ready.
13th "	up 8 hours. Breast massage given. Not suckling. Lost 1 oz.
14th "	up 8 hours. Stimulation hot and cold & massage given. Fed from bottle - very tired.
20.6.32.	Rhaphis cracked. Lead Clutch used. Rontgen bathing. Babe breast fed. very slow.
5.6.32.	Played in hospital over time to feed babe. Displayed. Weight 7 lbs 6 ozs.
Last Pregnancy.	4 1/2 years ago. Breech presentation. Babe half born before Dr's arrival asphyxiated. Told that she was too small. X-Rayed 9.4.32.
	True conjugate 3 3/4" - Transverse 4 1/2" - Small Babe. C.B.

Initials: F. P. Age: 18 No. of pregnancy: 19 Period of pregnancy: Full term.
Reference to other entries—see pages 17, 19, 21, 24, 26
Admitted 10.5, 1932 at 3.5 a.m. Result: { Mother: Satisfactory
Child: Satisfactory Discharged: 22.8.32.

Previous history: ANC. 257.
Previous pregnancies, number of: -; abortions, -; miscarriages, -; premature, -; full term, -
Date of last menstruation: August 28th, 1931 Health during present pregnancy: Good
Previous labours, nature of: - Date of last labour: -

CONDITION ON ADMISSION.
Condition on entry, or at beginning of labour: Good.
Temperature: 99.1 Pulse: 96 Examined before admission by ANC.
Urine: specific gravity, 10.10; reaction, acid.; albumen, -; sugar, -
Began at 4 a.m. on 9.8., 1932 Membranes ruptured at 8 a.m. on 9.8., 1932
Infant born at 4.30 a.m. on 10.8., 1932 Placenta delivered at 4.43 a.m. in 13 minutes.

LABOUR.
Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	
<u>20 hrs.</u>	<u>1 3/4</u>	<u>30</u>	<u>2 1/4</u>

 Perineum ruptured:

Degrees.		
1st.	2nd.	3rd.
<u>/</u>	<u>/</u>	<u>/</u>

 Time of suturing: - a.m. on - p.m. on -
Nature of suturing: - No. of sutures: -
Union: - Position: Loft.
Presentation: Vertex.
Nature of labour: Normal
Complications: Nil.

Placenta: Complete Membranes: Complete Liquor amnii: moderate.

PUERPERIUM.
Lactation established: 3rd Day Breasts: Good. Date of first leaving bed: 16.8.32.
Complications: Pyloritis B. coli. Pus +. Presence of Albumin.
Condition on leaving hospital: Satisfactory

INFANT.
Condition at birth: { Premature. /
Stillborn. /
Full term. /
Asphyxiated. / Sex: Female. Length: 19 1/2" Weight at birth: 8 lbs 12 ozs.
Mode of feeding: Breast. Weight at discharge: 8 lbs 11 ozs.
Condition on leaving hospital: Satisfactory. Date of separation of cord: 10.8.32.

NOTES ON THE LABOUR AND THE PUERPERIUM, WITH SPECIAL REFERENCE TO THE
LOCHIA, BREASTS, PROGRESS OF INFANT, ETC.

1st day	Admitted 9.9.32. 1st Day. ^{Infant.} Properly ^{and} normal ^{gave} normal ^{13 w. 6 lbs 12 oz.} at 4.20 p.m. 10.10.32. 1st Day of normal ^{healthy} birth ^{at 4.20 p.m. 10.10.32. 1st Day} Complete in 15 minutes. Fundus firm. Lochia 2 R. 1 large clot expressed. Lactation well.
2nd "	Good. Fundus involuting. Breasts good. Lochia 2 R. Lactation well.
3rd "	Lactation established. Breasts good. Fundus firm. Lochia 2 R. The same.
4th "	Pat. free urine sent to lab. offensive. Barley water. Pot Cit 996. Doing quite well.
5th "	The same. Breasts - fundus and lochia satisfactory. Urine offensive. Same. 5 lbs 12 oz.
6th "	up 2 hours. Lactation well. BVO. Urine less offensive. Lactation well.
7th "	up 1 hour. Urine contains Pus cells. B. Coli & Alb. Li. Lochia 2 R. The same.
8th "	up 2 hours. ^{Pot Cit 996} Barley water. Breasts - fundus and lochia satisfactory. Doing quite well.
9th "	up 4 hours. The same. Very slow today.
10th "	up 6 hours. Urine to lab. am. Lactation good. Has a cold.
11th "	up 8 hours. Very well. For discharge in am. Doing well.
12th "	Examined by Dr. F. J. J. Discharged in Almost regained
13th "	Satisfactory condition. To take 1st Birth weight 5 lbs 11 oz.
14th "	breastfeeding home with her.

22. 6. 32.

Lab report: urine 10th Day - Pus cells & B. Coli. +. Have all

C. B.

Initials: P. Q. B. Age: 29. No. of pregnancy: 4th Period of pregnancy: Full term.
Reference to other entries—see pages 19.22.
Admitted 19. 8. 1932, at 4.30 a.m. Result: {Mother: Paleofactory
Child: Paleofactory Discharged: 29. 8. 32.

Previous history: ANC. 15.9.
Previous pregnancies, number of: 3.; abortions, 1; miscarriages, 2.; premature, -; full term, -
Date of last menstruation: August 15th, 1931. Health during present pregnancy: Good.
Previous labours, nature of: Normal. Date of last labour: 26. 10. 30.

CONDITION ON ADMISSION.
Condition on entry, or at beginning of labour: Good.
Temperature: 98. Pulse: 76. Examined before admission by ANC.
Urine: specific gravity, 10.10; reaction, alkaline; albumen, nil; sugar, nil.
Began at 3.30 a.m. on 15. 8., 1932. Membranes ruptured at 3.30 a.m. on 15. 8., 1932.
Infant born at 12. 8. a.m. on 15. 8., 1932. Placenta delivered at 4.20 a.m. in 15. minutes.

LABOUR.
Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	
<u>4¹/₂</u>	<u>4¹/₂</u>	<u>1¹/₂</u>	<u>8¹/₂</u>

 Perineum ruptured:

Degrees.		
1st.	2nd.	3rd.
<u>✓</u>	<u>+</u>	<u>+</u>

 Time of suturing: 12.10 a.m. on 15. 8., 1932
Nature of suturing: PNL No. of sutures: 1
Union: Good. Position: Vertex.
Presentation: LOA
Nature of labour: Normal.
Complications: Impacted shoulder released by Dr. G. G. G.
Placenta: Complete Membranes: Complete Liquor amnii: Expressive

PUERPERIUM.
Lactation established: 19. 8. 32 Breasts: Good. Date of first leaving bed: 22. 8. 32.
Complications: nil
Condition on leaving hospital: Paleofactory.

INFANT.
Condition at birth: {Premature.
Stillborn.
Full term.
Asphyxiated. Sex: Female. Length: 22¹/₂" Weight at birth: 6 lbs 13 oz.
Mode of feeding: Breast. Weight at discharge: 6 lbs 6 oz.
Condition on leaving hospital: Paleofactory. Date of separation of cord: 20. 8. 32.

Infant

c. 9

Initials: O. P. H. Age: 26 No. of pregnancy: 1st Period of pregnancy: Full Term
Reference to other entries—see pages 19, 22, 28, 68
Admitted 26, 1932, at 12:30 ^{a.m.} p.m. Result: { Mother: Satisfactory
Child: Satisfactory Discharged: 4.6.32

Previous history: ANC. 120.
Previous pregnancies, number of: -; abortions, -; miscarriages, -; premature, -; full term, -
Date of last menstruation: August 5th, 1932 Health during present pregnancy: Good
Previous labours, nature of: - Date of last labour: -

Condition on admission. Condition on entry, or at beginning of labour: Satisfactory
Temperature: 97.4 Pulse: 80 Examined before admission by ANC
Urine: specific gravity, 10.10; reaction, acid; albumen, nil; sugar, nil
Began at 2 a.m. on 23 6, 1932. Membranes ruptured at 6:50 a.m. on 23 0, 1932.
Infant born at 7 a.m. on 23 0, 1932 Placenta delivered at 7:50 a.m. in 0.0 minutes.

LABOUR. Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	
<u>3 1/2</u>	<u>1 1/2</u>	<u>0 1/2</u>	<u>5 1/2</u>

 Perineum ruptured:

Degrees.		
1st.	2nd.	3rd.

 Time of suturing: - a.m. on -, 19-
Nature of suturing: - No. of sutures: -
Union: - Position: Lo 7
Presentation: Vertex
Nature of labour: Normal
Complications: Right and left episiotomy performed

Placenta: Complete Membranes: Intact Liquor amnii: Gradual
Lactation established: 3rd Day Breasts: Good Date of first leaving bed: 28. 0. 32
Complications: nil
Condition on leaving hospital: Satisfactory

INFANT. Condition at birth: { Premature.
Stillborn.
Full term.
Asphyxiated. Sex: Female Length: 20 Weight at birth: 7 lbs
Mode of feeding: Breast Weight at discharge: 7 lbs 4 oz
Condition on leaving hospital: Satisfactory Date of separation of cord: 27. 0. 32

Exhibit

Ch

ABNORMAL CASES SEEN IN THE LABOUR WARD.

Initials: h h Age: 34 No. of pregnancy: 1st Period of pregnancy: 4 months
Reference to other entries—see pages 25

Admitted 12.2, 1932, at 10.15 a.m. Result: { Mother: Satisfactory
Child: Still-born Discharged: 28.2.32

Previous history: —

HISTORY. Previous pregnancies, number of: —; abortions, —; miscarriages, —; premature, —; full term, —
Date of last menstruation: 2.7, 1932 Health during present pregnancy: Good until 9th Feb. 1932

Previous labours, nature of: — Date of last labour: —

CONDITION ON ADMISSION. Condition on entry, or at beginning of labour: Albuminuria
Temperature: 98° Pulse: 96 Examined before admission by Dr Pod. Cambridge
Urine: specific gravity, 10.15; reaction, acid; albumen, +; sugar, —

Began at 12.30 a.m. on 13.2, 1932. Membranes ruptured at 8.30 a.m. on 13.2, 1932.
Infant born at 11.15 a.m. on 13.2, 1932. Placenta delivered at 11.20 a.m. in 10 minutes.

LABOUR. Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	
<u>8 30/60</u>	<u>3 1/2</u>	<u>1 3/4</u>	<u>11 3/4</u>

 Perineum ruptured:

Degrees.		
1st.	2nd.	3rd.
<u>+</u>	<u>—</u>	<u>—</u>

 Time of suturing: 11.30 a.m. on 13.2, 1932.
Nature of suturing: P.H.S. No. of sutures: 2
Union: Good Position: Lo 9.
Presentation: Vertex
Nature of labour: Induced. Mechanically — Sponge packing and 2 bougies.
Complications: nil

Placenta: Complete. Battle done Membranes: Complete Liquor amnii: by analysis

PUERPERIUM. Lactation established: 3rd Day Breasts: — Date of first leaving bed: 20.2.32
Complications: nil Milk suppression commenced. Lymph. Compressed.
Condition on leaving hospital: Satisfactory

INFANT. Condition at birth:

Premature.
Stillborn.
Full term.
Asphyxiated.

Premature. Sex: M Length: — Weight at birth: 5 lbs 10 ozs.
Mode of feeding: — Weight at discharge: —
Condition on leaving hospital: — Date of separation of cord: —

NOTES ON THE NATURE OF THE COMPLICATION, THE TREATMENT ADOPTED, AND
THE COURSE OF THE PUERPERIUM.

12.2.32.

13.2.32.

14.2.32.

Patient transferred from H.A. at 10.15 pm. Albuminuria - 7 months pregnant with "show".
Incontinently induced at 11 am. 13th. Packing and 2 bougies inserted. Labour pains
commenced and increased in severity and regularity. Normal delivery of
stillborn male babe at 11.15 pm. Battle-day Placenta, 2 P.H.G. cultures.

1st day.

General condition satisfactory. Fundus firm. Lochia m + R. P.V. every 4 hours am.
200 ccs for 24 hours. Copious fluids taken. Marked oedema. Ll. pain between shoulder blades.
Pain in R. base still. Plaster applied and Aspirin 10 gr given with some effect.

2nd day.

Lochia m + R. Fundus firm & involuting. Breasts comfortable 2nd Day albuminuria.

3rd day

Had a very poor night. Pain in posterior thoracic region severe. Heat renewed and
Aspirin 10 gr given with some effect but patient slept poorly. Is feeling easier this am.
Phena given with poor result. Still 2 to 4 ccs of lochia given. Lochia m + R. Breasts hardening.
Right binder applied. Fundus firm. Oedema of ankle still marked.

4th day.

With the same. Fundus high but 2 gr given. Breasts hard. Same. Eucalyptal spirits
compresses applied. Plaster released.

5th day

Lochia m + R. P. 1004.120. P.V. 174 Post. confinement by rupture. 100 + 100. 4 wch bright.

6th day

No pain in chest. Breasts still hard. Not painful. Lochia decreasing.

7th day

Fundus satisfactory. Eucalyptal spirits to breasts renewed. Aspirin 10 gr. 3rd Day Diet.
Bright. No complaint. Breasts still hard not painful. 4 to 5 ccs of lochia compresses.

8th day

Applied. Appetite good. Lochia 1000.120. - Union of perineum satisfactory. Up in chair 10 mins. Condition
satisfactory. Right leg inclined to be powerless for a time. Breasts improving.

9th day

up 1 hour and feeling well. 4 to 5 ccs of lochia compresses to breasts renewed. Eucalyptal spirits
bowels well opened. P.V. Lochia 800.120. Up 1 hour.

10th day

up 1 hour - went for short walk. felt very faint - returned to bed. No special
complaint. Breasts softening. K continued. Lochia and fundus satisfactory.

11th day

up: Feels better. Lochia and fundus satisfactory. Breasts improving.

12th day

Very bright - up 3 hours. Had a bath.

13th day

up. feeling well.

14th day

up. all day. feeling well.

15th day

Discharged 1 pm. Still a faint trace of albumin in urine.

28.2.32.

Condition satisfactory.

C.B.

Initials: J.L.R. Age: 19 No. of pregnancy: 1st Period of pregnancy: Full term
Reference to other entries—see pages 807

Admitted 2.2., 1952 at 3.30 a.m. Result: { Mother: Satisfactory
Child: Satisfactory Discharged: 14.2.52.

Previous history:

Previous pregnancies, number of: -; abortions, -; miscarriages, -; premature, -; full term, -

Date of last menstruation: May, 1951. Health during present pregnancy: Good

Previous labours, nature of: 0 Date of last labour: 0

Condition on entry, or at beginning of labour: Good.

Temperature: 98° Pulse: 88 Examined before admission by Ante-natal Clinic.

Urine: specific gravity, -; reaction, -; albumen, -; sugar, -

Began at - a.m. on -, 19 - Membranes ruptured at - a.m. on -, 19

Infant born at - a.m. on -, 19 Placenta delivered at - a.m. in - minutes.

Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	

 Perineum ruptured:

Degrees.		
1st.	2nd.	3rd.

 Time of suturing: - a.m. on -, 19

Nature of suturing: - No. of sutures: -

Union: -

Position: -

Presentation: -

Nature of labour: -

Complications: Caesarian Section.

Placenta: - Membranes: - Liquor amnii: -

Lactation established: Milk suppressed. Breasts: - Date of first leaving bed: -

Complications: Thyroid compressed.

Condition on leaving hospital: Satisfactory. Feeling well.

Condition at birth: { Premature.
Stillborn.
Full term.
Asphyxiated. Sex: Female Length: 21" Weight at birth: 7 lbs.

Weight at discharge: 6 lbs. 6 1/2 ozs.

Date of separation of cord: 4.2.52.

Condition on leaving hospital: Satisfactory. Mode of feeding: Bottle Fed.

NOTES ON THE NATURE OF THE COMPLICATION, THE TREATMENT ADOPTED, AND
THE COURSE OF THE PUERPERIUM.

- 2.2.32. 1 Pt admitted and usual pre-operative treatment given. Small narrow pelvis.
- 3.2.32. 2 Pre-op H.D. Anesthetics given 2.30 pm. Taken to theatre 2.50 pm. Pit 1cc given 2.50 pm in anaesthetic room. Caesarian section performed by Dr Graham - length of operation 20 minutes. Condition satisfactory throughout, and also on return to ward. No crying, no vomiting. N.P.V.
- 4.2.32. 3 Pt fairly comfortable - Pale. Taking drinks well. Aspos given for pain. Baby normal healthy female child. Weight 4 lbs.
- 5.2.32. 4 Condition satisfactory. N.P.V. Catheter passed. 10 am. I.V. withdrawn. P.O. 9 am. Lochia m & R. Pt fairly comfortable. Some pain due to distension - Morphine 1.30 pm. with relief. Milk suppression commenced. Left compresses and firm binder to breasts. Black coffee & Lemon drinks. restricted fluids. 7 a.m. Lulph 7 each early a.m. Lochia m & R. Baby bottle fed with breast milk.
- 6.2.32. 5 Feeling more comfortable. Slept all night. Breasts L. dist given. 8.10 a.m. Bowel given good result flatus passed. Pt comfy. Lochia S & R.
- 7.2.32. 6 Satisfactory. Wound dressed. Looking healthy. Lochia S & R. P.O. Taking diet well. Breasts L. Milk binder applied.
- 8.2.32. 7 Good. S.P.R. normal. Breasts L. very full. B.W.O.
- 9.2.32. 8 Satisfactory
- 10.2.32. 9 Lochia S & R. today. 2 small blood clots expressed from vagina. Breasts L.
- 11.2.32. 10 Good. Tension uterus remained. Wound satisfactory. Lochia m & R. Breasts still very full. Baby good.
- 12.2.32. 11 Up for 10 minutes. Rather pale but feeling well.
- 13.2.32. 12 Still very pale. 3 P.H. 4 uterine out. Lochia thick & P.K. Breasts the same. Baby good.
- 14.2.32. 13 Up 1 hour - feeling stronger. Breasts full. treated with 7 a.m. Lulph compresses.
- 15.2.32. 14 Up 2 hours. Lochia S & P.K. Wound healed. B.W.O.
- 16.2.32. 15 Pt naughty. Playing up. Up 4 hours. Bathed. Condition satisfactory. Baby good.
- 17.2.32. 16 Good am. Instilled in technique of Ammanoid Milk. Father and Baby discharged. Both satisfactory.

C.S.

Initials: D. L. K. Age: 33. No. of pregnancy: 2nd. Period of pregnancy: Full term.
Reference to other entries—see pages 35 208
Admitted 11.3., 1932, at 3.45 ~~a.m.~~ p.m. Result: { Mother: Good
Child: Good. Discharged: 23.3.32.

Previous history: -
Previous pregnancies, number of: 1; abortions, .; miscarriages, .; premature, .; full term, 1
Date of last menstruation: May 28th, 1931. Health during present pregnancy: Toxic goitre. Treated.
Previous labours, nature of: normal. Date of last labour: May 16th 1928.

CONDITION ON ADMISSION.
Condition on entry, or at beginning of labour: Satisfactory. Rough in very nervous state—though toxic goitre
Temperature: 98 Pulse: 120 Examined before admission by Dr. Hocken
Urine: specific gravity, -; reaction, -; albumen, trace; sugar, nil

Began at 5 a.m. on 11.3., 1932 Membranes ruptured at 4.45 ~~a.m.~~ p.m. on 11.3., 1932.
Infant born at 6.55 a.m. on 11.3., 1932. Placenta delivered at 7.25 ~~a.m.~~ p.m. in 30 minutes.

LABOUR.
Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	
<u>1 30/60</u>	<u>45/60</u>	<u>30/60</u>	<u>2 15/60</u>

 Perineum ruptured: {

Degrees.		
1st.	2nd.	3rd.
<u>/</u>	<u>/</u>	<u>/</u>

Time of suturing: a.m. on ., 19.
Nature of suturing: . No. of sutures: .
Union: .
Position: ROA.
Presentation: Vertex
Nature of labour: normal
Complications: nil.

Placenta: normal. Complete. Membranes: Complete Liquor amnii: moderate

PUERPERIUM.
Lactation established: 13.3.32. Breasts: Good. Date of first leaving bed: 15.3.32.
Complications: nil.
Condition on leaving hospital: Good.

INFANT.
Condition at birth: { Premature. /
Stillborn. /
Full term. /
Asphyxiated. /
Sex: Female. Length: 23" Weight at birth: 9 lbs.
Mode of feeding: Breast. Weight at discharge: 9 lbs 0 2 ozs.
Date of separation of cord: 17.3.32
Condition on leaving hospital: Good.

NOTES ON THE NATURE OF THE COMPLICATION, THE TREATMENT ADOPTED, AND
THE COURSE OF THE PUERPERIUM.

- 1st Day Treated for 1 month in general hospital - Syphilis Col. rest etc. by medicinal induction.
Pain increased quickly. Short labour. normal delivery. Good, 1 day. Puerperium. Baby OK.
- 2nd Day Puerperium and involuting well. Lochia free & red. Baby suckling well.
- 3rd Day Lactation establishing. Breasts full milk expressed after feeds. Baby good.
- 4th Day Breasts full came L. Puerperium and lochia satisfactory. Baby good.
- 5th Day Breasts satisfactory. Puerperium involuting. Lochia 4 R.
- 6th Day up while bed made. Felt well. Pulse unaltered. Lochia 4 R.
- 7th Day up 30 minutes. Satisfactory. Lochia cl. more 7 R. Puerperium below symphysis.
- 8th Day up 2 hours. Puerperium involuted. Lochia scanty and pink. Breasts satisfactory.
- 9th Day up 4 hours. Progressing well. Baby satisfactory.
- 10th Day up 6 hours. Dressed and walking about. Baby has regained birth weight.
- 11th Day up 8 hours. Condition satisfactory. Lochia practically nil.
- 12th Day Mother and baby discharged in satisfactory condition. Mother's condition much improved. Baby sleeping well and contented.

28.3.32.

C. G.

Initials: O. K. (nee R.) Age: 19. No. of pregnancy: 12 Period of pregnancy: 9/10

Reference to other entries—see pages 30-36

Admitted 1.4, 1932, at 8 ^{a.m.} p.m. Result: { Mother: Satisfactory
Child: Satisfactory Discharged: 19.4.32.

Previous history: ANC 209

Previous pregnancies, number of: -; abortions, -; miscarriages, -; premature, -; full term, -

Date of last menstruation: July 22nd, 1931 Health during present pregnancy: Satisfactory until 1 week before admission

Previous labours, nature of: - Date of last labour: -

Condition on entry, or at beginning of labour: Definite pre-eclampsia with swelling of hands and feet.

Temperature: 99.6 Pulse: 104 Examined before admission by ANC

Urine: specific gravity, -; reaction, acid; albumen, +++; sugar, nil

Began at 12 mid. a.m. on 3.4, 1932. Membranes ruptured at 8.5 ^{a.m.} p.m. on 2.4, 1932.

Infant born at 9.30 a.m. on 4.4, 1932. Placenta delivered at 9.50 a.m. in 20 minutes.

Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	
<u>19 1/2</u>	<u>2</u>	<u>20</u>	<u>41 1/2</u>

 Perineum ruptured:

Degrees.		
1st.	2nd.	3rd.
<u>/</u>	<u>/</u>	<u>/</u>

 Time of suturing: - a.m. on -, 1932
Nature of suturing: - No. of sutures: -
Union: -

Presentation: Vertex Position: ROP. rotated ROA

Nature of labour: Mechanical induction - normal delivery

Complications: nil

Placenta: Complete Membranes: Complete Liquor amnii: Graduate

Lactation established: 4.4.32. Breasts: Satisfactory Date of first leaving bed: 14.4.32

Complications: nil

Condition on leaving hospital: Good

Condition at birth: { Premature. 1 month Sex: Male Length: 10 ins. Weight at birth: 5 lbs 15 ozs.
Stillborn.
Full term.
Asphyxiated.

Mode of feeding: Breast Weight at discharge: 5 lbs 10 1/2 ozs.

Condition on leaving hospital: Prog. recovery Date of separation of cord: 9.4.32.

NOTES ON THE NATURE OF THE COMPLICATION, THE TREATMENT ADOPTED, AND
THE COURSE OF THE PUERPERIUM.

B. P 188 on admission.

- 1.4.32. Admitted pre eclampsia. Had 3 PM 2.4.32. unconscious all day. Colon irrigations and stomach lavage given. Chloral Bromide & Paraldehyde per rectum + another dose. Pt conscious & hysterically induced. Labour commenced 12.00. Pains increased regularly. Taking fluids well. BP 110. Passing plenty of urine.
- 3.4.32. Normally delivered of male child at 9.30 am. 3rd stage completed in 20 mins. Condition satisfactory on return to ward. 3 large blood clots expressed. Fundus firm now. NPU. Byot 37 given 11 am. also 1/2 Chloral Bromide at 11 am. Baby satisfactory so far. PU. 7.40 pm.
- 4.4.32. Good day condition much improved. Oedema subsiding. Pt very bright. Vaginal discharge given (or) clear return. Byot 37 + OS meadows. On carbohydrate diet + plenty of fluids. PU. 9.50 am. BP. 13.2. Fundus firm. Lochia mod & red. BP. 13.2. PU. 10.0 pm.
- 6.4.32. Ol Rini given. BVO. Fundus and lochia satisfactory. PU. 3.12 Baby good.
- 7.4.32. Good day. Lochia R & B. Byot 37 + OS. Fundus satisfactory. Lactation established. Breasts comfy. Diet increased. Baby suckling well.
- 8.4.32. Satisfactory. Lochia R & B. Blood 1/2 expressed after feeds. Fundus involuting. BP 160. 136 in am. BVO very well. Taking fluids On paraffin 30 to 40.
- 9.4.32. Not so well. BP 164 am. 152 pm. Pt crying and miserable. Lochia R & B. Fundus good. Breasts comfy. Colon irrigations given. Byot 37 + OS with 1/2 Sulph 37 3/4. PU. Baby doing well.
- 10.4.32. Suckling and looking better. Breasts fundus and lochia satisfactory. Diet decreased. No fat. BP 152 - 142. Taking up to 15 pints of fluid daily. Baby satisfactory.
- 11.4.32. Suckling well. Pulse improved. BP 132 - 148. BP 110 Carbohydrate diet. Fundus and lochia satisfactory.
- 12.4.32. Satisfactory. BP 134 - 144. Diet increased. Passing good quantity of urine.
- 13.4.32. Improving BP 120 - 130. Stools normal. Baby has at death. Rye. Treated harshly.
- 14.4.32. Suckling well. BP 118. up 10 mins. Diet increased. Condition satisfactory. Baby eye improved.
- 15.4.32. Satisfactory. BP 132 up 20 minutes Baby satisfactory.
- 16.4.32. " up 1 hour. BP 110. Baby fair eyes improved.
- 17.4.32. up 2 hours and walking about. Condition very satisfactory. BP 116. Baby good.
- 18.4.32. Discharged pm. Father and babe both satisfactory. C. S

Initials: D. G. Age: 35 No. of pregnancy: 6th Period of pregnancy: Full Term

Reference to other entries—see pages _____

Admitted 18.4.32, 1932, at 3.30 p.m. Result: { Mother: Died
Child: Satisfactory Discharged: Deceased 22.4.32

Previous history: ANC. 148. Gains removed in private hospital 28.9.31.

Previous pregnancies, number of: 4; abortions, .; miscarriages, .; premature, .; full term, 4

Date of last menstruation: July 16th, 1931. Health during present pregnancy: Fair

Previous labours, nature of: 1 instrumental all normal Date of last labour: 12.1.24.

Condition on entry, or at beginning of labour: Satisfactory.

Temperature: 98 Pulse: 78 Examined before admission by ANC.

Urine: specific gravity, 10.20; reaction, cl. acid; albumen, nil; sugar, nil.

Began at 4 a.m. on 22.4., 1932 Membranes ruptured at 4.40 a.m. on 22.4., 1932.

Infant born at 5.10 p.m. on 22.4., 1932 Placenta delivered at 6.24 a.m. in 14 minutes.

Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	
<u>4⁵/₆₀</u>	<u>2⁵/₆₀</u>	<u>1¹⁵/₆₀</u>	<u>1¹⁰/₆₀</u>

 Perineum ruptured:

Degrees.		
1st.	2nd.	3rd.
<u>.</u>	<u>.</u>	<u>.</u>

 Time of suturing: . a.m. on ., 1932
Nature of suturing: . No. of sutures: .
Union: . Position: L.O.P.

Presentation: Vertex.

Nature of labour: normal

Complications: Slight P.P.H.

Cardiac Failure

Placenta: Complete. Membranes: Complete. Liquor amnii: hyaline.

Lactation established: / Breasts: / Date of first leaving bed: /

Complications: /

Condition on leaving hospital: /

Condition at birth: { Premature.
Stillborn.
Full term.
Asphyxiated.

Sex: Female. Length: 20¹/₂ Weight at birth: 4 lbs.

Weight at discharge: 4 lbs 4 oz.

Date of separation of cord: 26.4.32.

Condition on leaving hospital: Satisfactory. 14.6.32.

NOTES ON THE NATURE OF THE COMPLICATION, THE TREATMENT ADOPTED, AND
THE COURSE OF THE PUERPERIUM.

- 18.4.32. Patient admitted 18.4.32 not in labour. Routine preparation. Medicaled induction given. Had slight ante. partum haemorrhage 10pm. Controlled by massage and light binder. Few blood expressed. Had few severe pains at irregular intervals. No further bleeding.
- 19.4.32. Very well. Very slight bleeding in am. Slept well during night.
- 20.4.32. Few chills and many "nigging" pains. Some bleeding. Fair sized clot passed. Patient bright and feeling well. Comfortable night.
- 21.4.32. Just the same. No further loss per vagina. Good night.
- 22.4.32. Up all am. bright. Medicaled induction repeated. Labour commenced 4pm. Membranes ruptured 4.40 pm. Normally delivered of apparently healthy female child at 5.10 pm. 3rd stage normal and complete 5.40 pm. Fine loss in labour ward and on return to bed. Pit 5cc. Asphic byot 1cc & Lip byot given. Hot vaginal douche 6pm. Patient seen by Dr. Abernethy. Foot of bed raised. Treated for shock. Very restless byot 6.30pm. Bleeding freely. Pit 1cc repeated 6.45 pm. Vaginal douche repeated 7pm. Patient semi-conscious. People notified. Rectal saline given. not retained. Subcutaneous Saline 16ozs given 7.15 pm. Byot got 7.30pm for restlessness. Intravenous injection of Saline glucose and gum. arabic given 8pm. 16 ozs. Condition very low. Oxygen given continuously. Adrenalin m & given 4.9. into heart muscle. Slightly improved. Caution in oil 1cc 8pm. Appeared to improve a little but collapsed and died at 10 pm.

C.B.

Initials: B. R. Age: 26. No. of pregnancy: 2nd Period of pregnancy: Full Term
Reference to other entries—see pages 30. 213.

Admitted 24. 4., 1932, at 9 a.m. Result: { Mother: Improved
Child: Satisfactory Discharged: 14. 5. 32.

Previous history: In general hospital for one month for treatment. Syphilis.
Previous pregnancies, number of: 1; abortions, -; miscarriages, -; premature, -; full term, 1
Date of last menstruation: 25. 7., 1931 Health during present pregnancy: Fair.
Previous labours, nature of: Normal. Date of last labour: May 6th 1930.

Condition on entry, or at beginning of labour: Improved.
Temperature: 98 Pulse: 92. Examined before admission by Dr. Abernethy.
Urine: specific gravity, 1004; reaction, acid; albumen, nil; sugar, nil.

Began at 1 a.m. on 24. 4., 1932 Membranes ruptured at 10. 25 a.m. on 24. 4., 1932
Infant born at 10. 25 a.m. on 24. 4., 1932 Placenta delivered at 10. 42 a.m. in 4 minutes.

Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	
<u>8 1/2</u>	<u>1 1/2</u>	<u>2 1/2</u>	<u>12 1/2</u>

 Perineum ruptured:

Degrees.		
1st	2nd.	3rd.
<u>1</u>	<u>2</u>	<u>3</u>

 Time of suturing: 10. 25 a.m. on 24. 4., 1932
Nature of suturing: Continuously Catgut No. of sutures: 4
Union: Good.
Position: ROA.

Presentation: Vulva
Nature of labour: Normal.
Complications: Labia lacerata and laceration torn and bleeding freely.

Placenta: Complete Membranes: Complete Liquor amnii: By analysis.

Lactation established: 3rd Day. Breasts: Good. Date of first leaving bed: 1. 5. 32.
Complications: Nil.
Condition on leaving hospital: Satisfactory.

Condition at birth: { Premature.
Stillborn.
Full term.
Asphyxiated. Sex: Male. Length: 21" Weight at birth: 8 lbs 8 oz.
Mode of feeding: Breast. Weight at discharge: 10 lbs 10 1/2 oz.
Date of separation of cord: 19. 5. 32.
Condition on leaving hospital: Satisfactory.

NOTES ON THE NATURE OF THE COMPLICATION, THE TREATMENT ADOPTED, AND
THE COURSE OF THE PUERPERIUM.

24. 4. 32.

Admitted in 1st stage of labour 9 am. Normally delivered of a healthy male babe at 10.55 am. Has laceration of labia minora and clitoris - Bled rather freely. Sutured by Dr. Chernacky. Four double cloth sutures contained in clitoris. Condition satisfactory on return to bed. Pundus firm. Lochia P.R. N.P.V. Patient very drowsy. Slept most of day.

25. 4. 32.

Very miserable early am. As 10 x given. Some constipation since. Vulva very swollen and tender - equal compresses applied. Pundus firm.

26. 4. 32.

992. Labia clitoris very swollen and painful - equal compresses applied. Slight improvement.

27. 4. 32.

Very nervous today. Palpitation troublesome. Gist Bromide 3ii TOS.

28. 4. 32.

Breasts full and painful - Anti-phlogistine applied. Bromine foment to nipples.

29. 4. 32.

Good day. Breasts improved. Lochia and Pundus satisfactory.

30. 4. 32.

Very bright and doing quite well. Babe good.

1. 5. 32

up while bed made. Very tired. and easily upset.

2. 5. 32.

up 1/2 hour Very tired and nervous. Lactation good. Babe doing well.

3. 5. 32.

up 2 hours. Fairly well. Lochia pale. Pundus involuting.

4. 5. 32.

up 4 hours. Complaining of headache. Generally miserable. Crying for apparently no reason. Depressed. Babe unimpaired.

5. 5. 32.

Just the same.

6. 5. 32

Hill in spasms. On Syr Piss and Linn 6 grains TOS.

7. 5. 32.

Very easily upset. Sleeping downstairs. Just quieter.

8. 5. 32.

The same. Fainted after being out in sun. Soon recovered.

Stayed in hospital one week over time. Felt better and much improved. Still some palpitation.

C.B.

Initials: G. H. B. Age: 24 No. of pregnancy: 1st Period of pregnancy: 9 1/10

Reference to other entries—see pages

Admitted P. O., 1932, at 9:30 a.m. Result: { Mother: Good recovery. Discharged: 28. 8. 32
Child: Stillborn

Previous history: -

Previous pregnancies, number of: -; abortions, -; miscarriages, -; premature, -; full term, -

Date of last menstruation: -, 1932 Health during present pregnancy: Good until 1 month before admission

Previous labours, nature of: - Date of last labour: -

Condition on entry, or at beginning of labour: Unconscious.

Temperature: 100° Pulse: 148 Examined before admission by Dr. Patterson Puerperio

Urine: specific gravity, high; reaction, acid; albumen, ++; sugar, -

Began at 9 a.m. on 7. 8., 1932 Membranes ruptured at 10.38 a.m. on 7. 8., 1932

Infant born at 3.11 a.m. on 8. 8., 1932. Placenta delivered at 3.29 a.m. in 18 minutes.

Hours in labour:

Stages.			Total.
1st.	2nd.	3rd.	
<u>1 1/2</u>	<u>40</u>	<u>1 1/2</u>	<u>18 1/2</u>

 Perineum ruptured:

Degrees.		
1st.	2nd.	3rd.
<u>-</u>	<u>+</u>	<u>-</u>

 Time of suturing: 3.40 a.m. on 8. 8., 1932.

Nature of suturing: Pr. 4 + C. 9 No. of sutures: 4

Union: Good. Position: Loa.

Presentation: Vertex.

Nature of labour: Instrumental.

Complications: Ruptured perineum 2nd degree.

Placenta: Complete - calified Membranes: Complete. Liquor amnii: Gradual.

Lactation established: Suppressed. Breasts: - Date of first leaving bed: 23. 8. 32.

Complications: nil Good very satisfactory recovery.

Condition on leaving hospital: Very well.

Condition at birth: { Premature. -
Stillborn. -
Full term. -
Asphyxiated. -

Sex: Female. Length: - Weight at birth: -

Mode of feeding: Stillborn Weight at discharge: -

Condition on leaving hospital: - Date of separation of cord: -

NOTES ON THE NATURE OF THE COMPLICATION, THE TREATMENT ADOPTED, AND
THE COURSE OF THE PUERPERIUM.

8.6.32

Admitted 9.30 am in unconscious condition following eclamptic seizure. Colours
very cyanosed. Pulse weak and rapid. Retention of one foetus.
Labour progressed well. Blood pressure increased. Taken to theatre
Instrumentally delivered of stillborn female child 3rd Stage
complete in 18 minutes.


Gradually regained consciousness. Though blood pressure very
persistent rising to 100.
Usual diet and treatment given.

Had good recovery.

28.5.32.

CHARTS OF SPECIAL INTEREST OF PATIENTS NURSED OR SEEN,

OR OF NORMAL CASES IF THERE ARE INSUFFICIENT CASES OF SPECIAL INTEREST.



ABBREVIATIONS.—LOCHIA. F.—Free; M.—Moderate; S.—Scanty; R.—Red; Pk.—Pink; Br.—Brown; P.—Pale; O.—Offensive.
TONGUE: C.—Clean; Cd.—coated. BOWELS. Ap.—Aperient; En.—Enema; L.—Loose. PREFIX: V.—Very; St.—Slightly.

Initials:

D. L. R.

Date of admission:

Transferred from. 4/10

11. 3. 32.


Reference to other entries: *Page 168*

Toxic goitre with marked nervous symptoms during pregnancy.

Made very satisfactory progress after labour.

C. S.

April.



ABBREVIATIONS.—LOCHIA. F.—Free; M.—Moderate; S.—Scanty; R.—Red; Pk.—Pink; Br.—Brown; P.—Pale; O.—Offensive.
TONGUE: C.—Clean; Cd.—coated. BOWELS. A.—Aperient; En.—Enema; L.—Loose. PREFIX: V.—Very; St.—Slightly.

Initials:

OK(R).

Date of admission:


1.4.32.

Reference to other entries:

Definite pre-eclampsia.
This fit taken before
labour. Given anaesthetic.
Given to ward off further
attacks.
Colonis irrigation. 2 marsh
lavage. 7g sulph.
Mechanical stimulation.
Labour progressed well.
Normal delivery.
Oxytocin. 14th day fit & well.

C.B.

March. April.



ABBREVIATIONS.—LOCHIA. F.—Free; M.—Moderate; S.—Scanty; R.—Red; Pk.—Pink; Br.—Brown; P.—Pale; O.—Offensive
TONGUE: C.—Clean; Cd.—coated. BOWELS. Ap.—Aperient; En.—Enema; L.—Loose PREFIX: V.—Very; St.—Slightly

Initials:

H. P. J. C.

Date of admission:


30. 3. 32.

18. 21. 24. 28. 32. 35. 37. 64.
Reference to other entries:

Albuminuria of pregnancy.
Mechanical and medicinal
induction of labour.
B.P. 6 days. Extra fluids. Responded
to treatment well.
Trace of albumin 9th day.
Discharged with babe on
12th day fit and well.

C.S.

April.



ABBREVIATIONS.—LOCHIA. F.—Free; M.—Moderate; S.—Scanty; R.—Red; Ph.—Pink; Br.—Brown; P.—Pale; O.—Offensive.
TONGUE: C.—Clean; Cd.—coated. BOWELS. An.—Aperients; En.—Enema; L.—Loose. PREFIX: V.—Very; St.—Slightly.

Initials:

R. G. S.

Date of admission:

3. 4. 32.

Reference to other entries:

Admitted to Bureau accidental ante-partum hemorrhage. Became revealed on admission. Treated for shock. Blood transfusion etc. Developed thrombosis of leg and pain 4th day. Treated. Temperature and pulse gradually subsided by end of 3rd week. Patient looking much better and out in sun on 26. 4. 32.

C. G.

March. April.

Day of Month	31	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Day of Paerporium.		1	2	3	4	5	6	7	8	9	10	11	12	13	14
	M	E	M	E	M	E	M	E	M	E	M	E	M	E	M
TEMPERATURE (FAHRENHEIT.)															
PULSE.															
Lochia.		R.R.	R.R.	R.R.	S.P.	S.P.	S.	S.	S.	S.	S.	S.	S.	S.	S.
Sleep.	4h.	7h.	4h.	6h.	6h.	7h.	7h.	7h.	7h.	7h.	7h.	7h.	7h.	7h.	7h.
Tongue.	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
Bowels.	Dir. En.	III	E	A.	E	E	A.	I	II	I	I	I	A.	I	I
Urine.	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
No. Hours out of bed	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

ABBREVIATIONS.—LOCHIA. F.—Free; M.—Moderate; S.—Scanty; R.—Red; Pk.—Pink; Br.—Brown; P.—Pale; O.—Offensive.
TONGUE: C.—Clean; Cd.—coated. BOWELS. Ap.—Aperient; En.—Enema; L.—Loose. PREFIX: V.—Very; St.—Slightly.

Initials:

A. R.


Date of admission:

31. 3. 32.

Reference to other entries:

11. 17. 18. 21. 38.
Precipitate labour.
Toxic signs. Treated with
lysobol before and after
admission. Had a spm
4th day. Responded to treatment
well. Very tired afterwards
for a day or two.
Discharged 13th day fit and well
though still some toxic symptoms.

C.S.



Initials:

E. R.

Date of admission:


24. 4. 32.

Reference to other entries: *By 35. 174.*

Transferred from N.E. Dixie's. In general hospital for one month prior to confinement for rest and treatment.

Very tired nervous woman. Put on Lysol 200. and Lysol Powder. Stayed one week over time and did well with after rest etc.

C.B.



Initials:

G. H. B.

Date of admission:

Gay 8th 1932.

Reference to other entries:

Admitted in comatose condition.
Definite claustric - one fit.
Continuous oxygen - colonis
irrigations. Intravenous
glucose. Aether anaesthetic
to control fits.
Instrumental delivery
Child born female child.

ABBREVIATIONS.—LOCHIA. F.—Free; M.—Moderate; S.—Scanty; R.—Red; Pk.—Pink; Br.—Brown; P.—Pale; O.—Offensive.
TONGUE: C.—Clean; Cd.—coated. BOWELS. Ap.—Aperient; En.—Enema; L.—Loose. PREFIX: V.—Very; St.—Slightly.

